OVE Austrian Electrotechnical Association

Eschenbachgasse 9 | 1010 Wien | Austria ZVR: 327279890 | www.ove.at

OVE Certification

Kahlenberger Str. 2A | 1190 Wien | Austria T +43 1 370 58 06 | certification@ove.at

Validity of ÖVE-Certificates can be checked at www.ove.at



Page 1 of 3

ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: 43-134-14 Valid from: 2022 04 16

until: 2024 04 16

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

PC Electric Ges.m.b.H. Company:

Diesseits 145

4973 St. Martin im Innkreis

Austria

Product: Rewirable portable socket outlet with side earthing contact

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s).: TGM-VA EE 37979A, TGM-VA EE 37979, **TGM-VA EE 35727**

Österreichischer Verband für Elektrotechnik


Head of OVE Certification

Digitally signed by T. Neumayer Email=t.peumayer@ove.at

Dipl.-Ing. T. Neumayer

Wien, 2022 03 01









Certificate No.: 43-134-14

Date: 2022 03 01 Page 2 of 3

Manufacturer:

PC Electric Ges.m.b.H. Diesseits 145 4973 St. Martin im Innkreis Austria

Factory location(s):

PC Electric Ges.m.b.H. Diesseits 145 4973 St. Martin im Innkreis Austria

Tested and certified according to:

ÖVE/ÖNORM IEC 60884-1:2005-09-01 ÖVE/ÖNORM E 8684-1:2010-03-01 DIN VDE 0620-2-1:2016-01

Product: Rewirable portable socket outlet with side earthing contact

Type designation: Rating:	Trademark:
25 Rated voltage: AC 250 V Rated current: 16 A IP20 oder IP54 see typecode	PCE / ELCEE
256 Rated voltage: AC 250 V Rated current: 16 A IP20 oder IP44 see typecode	PCE / ELCEE





Certificate No.: 43-134-14

Date: 2022 03 01 Page 3 of 3

Typecode

25 1 0 - s s c	٦		
	Shutter		
	blank	Without Shutter	
	С	with Shutter (only with contact carrier PA6)	
Colour hexagonal ring (only for types with internal cord anchorage)			
	r	red	
	he	yellow	
	s	black	
	0	orange	
	b	blue	
	hb	lightblue	
	u	green RAL 6031 F9	
	hu	fluorescent green	
	su	siemensgreen	
	g	grey	
	dg	darkgrey	
	W	white	
	<u>a</u>	anthracite	
		reserved for different colours	
	Colour housing part		
	S	black	
	e	yellow	
	r	red	
	0	orange	
	b	blue	
	u	green	
	g	grey	
	а	anthracite	
	*	reserved for different colours	
	Costum		
	-	PCE	
	Degree of protection		
	0	IP20 (without lid)	
	1	IP44 or IP54 (lid captive strip)	
	2	IP44 oder IP54 (hinged lid)	
Contact carrier			
	Jointage	PA6 lightgrey (internal cord anchorage, without Shutter)	
	1	black (internal cord anchorage, with Shutter)	
		black (external cord anchorage)	
	2	TPE anthracite (internal/external) cord anchorage)	
	3	PA6 black (internal cord anchorage, without Shutter)	
	_		
Basic type			
	25	with internal cord anchorage	
	256	with external cord anchorage	

OVE Certification

