

PRODUCT-DETAILS

LDC4

LDC4 Additional Coil Terminal Block



General Information

Extended Product Type	LDC4
Product ID	1SBN070156T1000
EAN	3471523130678
Catalog Description	LDC4 Additional Coil Terminal Block
Long Description	Additional coil terminal blocks for a bottom access to the coil terminals of contactors or contactor relays.

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85369010
Product Main Type	Accessories for Block Contactors

Popular Downloads

Instructions and Manuals	1SBC101041M6801
CAD Dimensional Drawing	2CDC001079B0201

Dimensions

Product Net Width	35 mm
Product Net Depth / Length	22 mm

Product Net Height	24 mm
Product Net Weight	0.01 kg

Technical

Connecting Capacity	Flexible with Ferrule 1/2x 0.75 ... 2.5 mm²
Control Circuit	Flexible with Insulated Ferrule 1x 0.75 ... 2.5 mm²
	Flexible with Insulated Ferrule 2x 0.75 ... 1.5 mm²
	Rigid Solid 1/2x 1 ... 2.5 mm²
	Rigid Stranded 1/2x 1 ... 2.5 mm²

Rated Frequency (f)	Control Circuit 50 / 60 Hz
Rated Insulation Voltage (U _i)	acc. to IEC 60947-5-1 690 V

Standards	IEC 60947-1 / 60947-4-1 and EN 60947-1 / 60947-4-16, UL 60947-4-1, CSA C22.2 No. 60947-4-1
-----------	--

Suitable For	AF09
	AF09Z
	AF12
	AF12Z
	AF16
	AF16Z
	AF26
	AF26Z
	AF30
	AF30Z
	AF38
	AF38Z
	AF40
	AF52
	AF65
	AF80
	AF96
	AFC09
	AFC12
	AFC16
	AFC26
	AFC30
	AFC38
	AFS09
	AFS09Z
	AFS12
	AFS12Z
	AFS16
	AFS16Z
	AFS26
	AFS26Z
	AFS30
	AFS30Z
	AFS38
	AFS38Z
	AFS40
	AFS52
	AFS65
	AFS80
	AFS96
	AF09B
	AF09ZB
	AF12B
	AF12ZB
	AF16B
	AF16ZB
	AF26B
	AF26ZB
	AF30B
	AF30ZB
	AF38B
	AF38ZB
	NF22E
	NFZ22E
	NF31E
	NFZ31E
	NF40E
	NFZ40E
	NF44E
	NFZ44E
	NF53E
	NFZ53E
	NF62E
	NFZ62E

NF71E
 NFZ71E
 NF80E
 NFZ80E
 NF33/11
 NF51/11
 NFC22E
 NFC31E
 NFC40E
 NFC44E
 NFC53E
 NFC62E
 NFC71E
 NFC80E
 NFZB22E
 NFB22E
 NFZB31E
 NFB31E
 NFZB40E
 NFB40E
 NFZB44E
 NFB44E
 NFZB62E
 NFB62E
 NFZB80E
 NFB80E

Terminal Type	Screw Terminals
Tightening Torque	Control Circuit 1.2 N·m
Wire Stripping Length	Control Circuit 10 mm

Technical UL/CSA

Connecting Capacity	Rigid Solid 1/2x 18-14 AWG
Control Circuit UL/CSA	Rigid Stranded 1/2x 18-14 AWG
Tightening Torque UL/CSA	Control Circuit 11 in·lb

Environmental

RoHS Information	2CMT2021-006277
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations (Document Number)

ABS Certificate	ABS_20-2060694-PDA
Declaration of Conformity - CE	1SBD250060U1000
Declaration of Conformity - UKCA	1SBD250061U1000
Environmental Information	1SBD250186E1000
GOST Certificate	GOST_POCCFR.ME77.B07175.pdf
Instructions and Manuals	1SBC101041M6801
REACH Declaration	2CMT2021-006202
RINA Certificate	RINA_ELE084013XG
RoHS Information	2CMT2021-006277
UL Certificate	UL-US-2150887-5 UL-CA-2142658-5
UL Listing Card	UL_E312527

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	85 mm
Package Level 1 Depth / Length	110 mm

Package Level 1 Height	60 mm
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	3471523130678

Classifications

eClass	V11.1 : 27371392
E-Number (Finland)	3706553
E-Number (Sweden)	3211409
ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
IDEA Granular Category Code (IGCC)	4547 >> Terminal blocks
UNSPSC	39121410

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors Accessories

