



## PRODUCT-DETAILS

# BER38-4

## BER38-4 Connection Set for Reversing Contactors



### General Information

|                       |                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | BER38-4                                                                                                                                                                                                                                                                                                                                                                       |
| Product ID            | 1SBN082311R1000                                                                                                                                                                                                                                                                                                                                                               |
| EAN                   | 3471523130784                                                                                                                                                                                                                                                                                                                                                                 |
| Catalog Description   | BER38-4 Connection Set for Reversing Contactors                                                                                                                                                                                                                                                                                                                               |
| Long Description      | <p>BER38-4 is a connection set for reversing contactors used to easily connect the main poles of two 3-pole AF26..AF38, AFC26..AFC38 or AFS26..AFS38 contactors, mounted side by side.</p> <p>The BER connection sets are made up of:</p> <ul style="list-style-type: none"> <li>• 1 upstream and 1 downstream connections</li> <li>• Insulated, solid copper bars</li> </ul> |

### Ordering

|                        |                                  |
|------------------------|----------------------------------|
| Minimum Order Quantity | 1 piece                          |
| Customs Tariff Number  | 85389099                         |
| Product Main Type      | Accessories for Block Contactors |

### Popular Downloads

|                          |                 |
|--------------------------|-----------------|
| Instructions and Manuals | 1SBC101029M6801 |
| CAD Dimensional Drawing  | 2CDC001079B0201 |

## Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 87.2 mm  |
| Product Net Depth / Length | 23.05 mm |
| Product Net Height         | 36.5 mm  |
| Product Net Weight         | 0.1 kg   |

## Technical

|                           |                                                                                                                                                                                              |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rated Frequency (f)       | Main Circuit 50 / 60 Hz                                                                                                                                                                      |
| Rated Operational Voltage | Main Circuit 690 V AC                                                                                                                                                                        |
| Standards                 | UL 60947-4-1, CSA C22.2 No. 60947-4-1                                                                                                                                                        |
| Suitable For              | AF26<br>AF26Z<br>AF30<br>AF30Z<br>AF38<br>AF38Z<br>AFC26<br>AFC30<br>AFC38<br>AFS26<br>AFS26Z<br>AFS30<br>AFS30Z<br>AFS38<br>AFS38Z<br>AF26B<br>AF26ZB<br>AF30B<br>AF30ZB<br>AF38B<br>AF38ZB |
| Terminal Type             | Screw Terminals                                                                                                                                                                              |

## Environmental

|                  |                                                            |
|------------------|------------------------------------------------------------|
| RoHS Information | 2CMT2021-006277                                            |
| WEEE B2C / B2B   | Business To Business                                       |
| WEEE Category    | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Certificates and Declarations (Document Number)

|                                  |                                                              |
|----------------------------------|--------------------------------------------------------------|
| Declaration of Conformity - CE   | 1SBD250021U1000                                              |
| Declaration of Conformity - UKCA | 1SBD250043U1000                                              |
| Environmental Information        | 1SBD250141E1000                                              |
| GOST Certificate                 | GOST_POCCFR.ME77.B07175.pdf                                  |
| Instructions and Manuals         | 1SBC101029M6801                                              |
| REACH Declaration                | 2CMT2021-006202                                              |
| RINA Certificate                 | RINA_ELE084013XG                                             |
| RoHS Information                 | 2CMT2021-006277                                              |
| UL Certificate                   | UL-US-L312527-151-12119002-5<br>UL-CA-L312527-451-12119002-5 |
| UL Listing Card                  | UL_E312527                                                   |

| Container Information          |                 |
|--------------------------------|-----------------|
| Package Level 1 Units          | bag 1 piece     |
| Package Level 1 Width          | 120 mm          |
| Package Level 1 Depth / Length | 150 mm          |
| Package Level 1 Height         | 22 mm           |
| Package Level 1 Gross Weight   | 0.1 kg          |
| Package Level 1 EAN            | 3471523130784   |
| Package Level 2 Units          | crate 100 piece |
| Package Level 2 Gross Weight   | 10 kg           |
| Package Level 3 Units          | 504 piece       |

| Classifications                    |                                                                      |
|------------------------------------|----------------------------------------------------------------------|
| eClass                             | V11.0 : 27371392                                                     |
| E-Number (Finland)                 | 3706559                                                              |
| E-Number (Sweden)                  | 3211442                                                              |
| ETIM 6                             | EC002498 - Accessories for low-voltage switch technology             |
| ETIM 7                             | EC002498 - Accessories for low-voltage switch technology             |
| ETIM 8                             | EC002498 - Accessories/spare parts for low-voltage switch technology |
| ETIM 9                             | EC002498 - Accessories/spare parts for low-voltage switch technology |
| IDEA Granular Category Code (IGCC) | 5219 >> Switch part or accessory                                     |
| UNSPSC                             | 39122221                                                             |

| Categories                                                                                      |
|-------------------------------------------------------------------------------------------------|
| Low Voltage Products and Systems → Control Products → Contactors → Block Contactors Accessories |

