

PRODUCT-DETAILS

S2C-A1

S2C-A1 Shunt Trip



General Information

Extended Product Type	S2C-A1
Product ID	2CDS200909R0001
EAN	4016779570992
Catalog Description	S2C-A1 Shunt Trip
Long Description	Remote opening of the device when a voltage is applied. Suitable for MCBs S200 series and RCBOs DS 200 series.

Technical

Standards	CSA 22.2 No. 235 UL 1077
Function	Shunt Trip
Suitable For	S200 S200M S200P S200S S200 MT S200 MUC S300P DS200AC DS200A DS200MAC DS200MA
Suitable for Product Class	Miniature Circuit Breaker Residual Current Device
Power Loss	0 W

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
SCIP	4906475e-2b37-45cb-918c-db295dd155a2 Germany (DE)
REACH Declaration	9AKK107492A1906

Dimensions

Product Net Width	17.5 mm
Product Net Height	85 mm
Product Net Depth / Length	69 mm
Product Net Weight	0.133 kg

Container Information

Package Level 1 Units	blister 1 piece
Package Level 1 Width	28 mm
Package Level 1 Height	105 mm
Package Level 1 Depth / Length	80 mm
Package Level 1 Gross Weight	0.138 kg
Package Level 1 EAN	4016779570992
Package Level 2 Units	50 piece
Package Level 2 Width	820 mm
Package Level 2 Height	560 mm
Package Level 2 Depth / Length	1200 mm
Package Level 2 Gross Weight	7 kg
Package Level 2 EAN	4016779946124

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
E-Number (Finland)	3210837
E-Number (Sweden)	2102510
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CDK400627D2701
Declaration of Conformity - UKCA	9AKK108467A5488
Instructions and Manuals	GHS2007006P0005
REACH Declaration	9AKK107492A1906
RoHS Information	2CDK400627D2701

Popular Downloads

Data Sheet, Technical Information	9AKK106930A8017
Instructions and Manuals	GHS2007006P0005

Classifications

ETIM 7	EC001286 - Auxiliary device for distribution board devices
ETIM 8	EC001286 - Auxiliary device for distribution board devices
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
EPLAN Function Definition	Circuit breaker / Graphic / Graphic C1_C2
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 50 80
UNSPSC	39121601
eClass	V11.0 : 27143502
IDEA Granular Category Code (IGCC)	4879 >> Shunt release (for power circuit breaker)
Object Classification Code	Q

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs Accessories

