

PRODUCT-DETAILS

S2C-H6-11R

S2C-H6-11R Auxiliary Contact



General Information

Extended Product Type	S2C-H6-11R
Product ID	2CDS200946R0001
EAN	4016779697941
Catalog Description	S2C-H6-11R Auxiliary Contact
Long Description	S2C-H6-11R Auxiliary contact with contact configuration 1NO/1NC

Technical

Standards	CSA 22.2 No. 235 GB/T 14048.5 IEC/EN 60947-5-1 UL 1077
Function	Auxiliary Contact
Suitable For	S200 S200M S200MT S200S S200P S200MUC S300P F200 S-ARC1 DS-ARC1 DS201
Suitable for Product Class	Miniature Circuit Breaker Residual Current Device
Power Loss	1 W Maximum 1 W

Number of Auxiliary Contacts NC	1
Number of Auxiliary Contacts NO	1
Number of Auxiliary Contacts CO (SPDT)	0
Accessory Type	Auxiliary Contact
Mounting Position	right

Environmental

RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	2CDK400571D0201
REACH Declaration	9AKK107492A1906

Dimensions

Product Net Width	8.8 mm
Product Net Height	85 mm
Product Net Depth / Length	69 mm
Product Net Weight	0.04 kg

Container Information

Package Level 1 Units	blister 1 piece
Package Level 1 Width	20 mm
Package Level 1 Height	115 mm
Package Level 1 Depth / Length	104 mm
Package Level 1 Gross Weight	0.05 kg
Package Level 1 EAN	4016779697941
Package Level 2 Units	64 piece
Package Level 2 Width	140 mm
Package Level 2 Height	275 mm
Package Level 2 Depth / Length	433 mm
Package Level 2 Gross Weight	3 kg
Package Level 2 EAN	4016779709965

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
E-Number (Sweden)	2100351
Country of Origin	China (CN)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CDK440030D2703
Environmental Information	2CDK400571D0201
Instructions and Manuals	2TAB917006P0016
REACH Declaration	9AKK107492A1906
RoHS Information	2CDK440032D0203

Popular Downloads	
Data Sheet, Technical Information	2CSC400002D0211
Instructions and Manuals	2TAB917006P0016

Classifications	
ETIM 7	EC001286 - Auxiliary device for distribution board devices
ETIM 8	EC001286 - Auxiliary device for distribution board devices
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
EPLAN Function Definition	Change-over contact / Change-over contact, 3 connection points / Change-over auxiliary contact 96_95_98
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 50 80
UNSPSC	39121522
eClass	V11.0 : 27143502
IDEA Granular Category Code (IGCC)	4743 >> Auxiliary contact block

Categories	
Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs Accessories	

