



USB charger + socket-outlet, Merten System Design, 2P + E, 16A screwless terminals, matt, anthracite

MTN2367-6034

Main

Range	Merten
Product name	System Design
Product or component type	USB charger + socket-outlet

Complementary

Device presentation	Mechanism with fixing frame and cover plate
Device mounting	Flush
Socket number	1
Outlet poles configuration	2P + E
Outlet standard	Schuko
Rated current	16 A
Type of USB power supply	USB type A + C
Integrated connection type	1 socket-outlet 250 V AC 16 A 1 USB type A 5 V DC 2.4 A 1 USB type C 5 V DC 3 A
Ground lug position	Straight 0° position
Fixing mode	By screws and claws
Colour tint	anthracite RAL 7024)
Surface finish	Matt
Surface treatment	Painted
Type of packing	Box
Ambient air temperature for storage	−20...60 °C
Ambient air temperature for operation	−5...40 °C
Connections - terminals	Screwless terminals
Number of terminals	3
Number of cables	2
Clamping connection capacity	1.5...2.5 mm² rigid 1.5...2.5 mm² stranded
Material	Thermoplastic
Wire stripping length	11 mm

Height	71 mm
Width	71 mm
Depth	44 mm
Embedding depth	32 mm
Product weight	0,092 kg
Standards	IEC 60884-1 IEC 62368-1 SS 428 08 34 SFS 5610 IEC/EN 61558-2
Product certifications	KEMA-KEUR FIMKO SEMKO VDE NEMKO OVE
Directives	2004/108/EC - electromagnetic compatibility 2006/95/EC - low voltage directive
IK degree of protection	IK04
IP degree of protection	IP20

Pakke osad

Pakendi tüüp 1	PCE
Ühikute arv pakendis 1	1
Package 1 Height	6 cm
Pakendi laius 1	7,5 cm
Pakendi pikkus 1	7,5 cm
Pakendi kaal 1	120 g
Pakendi tüüp 2	CAR
Ühikute arv pakendis 2	80
Pakendi kõrgus 2	32,5 cm
Pakendi laius 2	30 cm
Pakendi pikkus 2	40 cm
Pakendi kaal 2	9,6 kg

Offer Sustainability

Jätkusuutliku pakkumise olek	Green Premium toode
REACH-määrus	REACH-deklaratsioon
Ilma SVHC REACH-ta	Jah
ELi RoHS direktiiv	Vastavus ELi RoHS deklaratsioon
Mürgiste raskemetallideta	Jah
Elavhõbedavaba	Jah
Hiina EoHS regulatsioon	Hiina RoHS deklaratsioon Ennetav Hiina RoHS deklaratsioon (ei kuulu Hiina RoHS-i õigussfääri)
RoHS eranditeave	Jah
Keskkonnavalade avaldus	Toote keskkonnaprofiil
WEEE	Tootest tuleb Euroopa Liidu turgetel vabaneda vastavuses erijäätmeseadustele ning see ei tohi sattuda olmeprügi sekka.

Soovitatud asendus(ed)