



ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **43-133-17**

Valid from: 2022 05 06
until: 2024 04 16

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company: **PC Electric Ges.m.b.H.**
Diesseits 145
4973 St. Martin im Innkreis
Austria

Product: **Rewirable 3-way portable socket outlet with side earthing contacts**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s): **TGM-VAEE 38227A, 38227**

Österreichischer Verband für Elektrotechnik
Head of OVE Certification

T. Neumayer

Digitally signed by T. Neumayer
Email=t.neumayer@ove.at

Dipl.-Ing. T. Neumayer

Wien, 2022 05 06



OVE Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



Manufacturer:

PC Electric Ges.m.b.H.
Diesseits 145
4973 St. Martin im Innkreis
Austria

Factory location(s):

PC Electric Ges.m.b.H.
Diesseits 145
4973 St. Martin im Innkreis
Austria

PCE Polska Sp.z.o.o.
ul Podwalna 8A
58-200 Dzierzoniow
Poland

Tested and certified according to:

OVE E 8684-1:2019-12-01
ÖVE/ÖNORM EN 60669-2-1:2010-10-01 (Cl. 23, 24, 101) for types with indicator lamp

Product: Rewirable 3-way portable socket outlet with side earthing contacts

Type designation:

Rating:

Trademark:

253

Rated voltage: AC 250 V
Rated power: 3500 W max.
Rated current: 16 A
3-way connector with internal cord anchorage
IP20 oder IP44 oder IP54
see typecode

PCE / ELCEE

2536

Rated voltage: AC 250 V
Rated power: 3500 W max.
Rated current: 16 A
3-way connector with external cord anchorage
IP44
see typcode

PCE / ELCEE

OVE Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

253 5pol

PCE / ELCEE

Rated voltage: AC 440 V (socket-outlets 250 V)

Rated power: 3x 3680 W max. (2h),

3x 2450 W max. (24h/7d)

Rated current: 16 A

3-way connector with internal cord anchorage

IP44 or IP54

see typecode

2536 5pol

PCE / ELCEE

Rated voltage: AC 440 V (socket-outlets 250 V)

Rated power: 3x 3680 W max. (2h),

3x 2450 W max. (24h/7d)

Rated current: 16 A

3-way connector with external cord anchorage

IP44

see typecode

OVE Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typecode

253 • • - • • • •

Poles

- blank - 3-poles
5 - 5-poles (without LED)

Child protection

- blank - without Shutter
c - with Shutter (only available for contact carrier made of PA6)

Colour of connection cover

- colour - description color:
- | | | |
|-------|---|--------------------------------|
| blank | - | red |
| s | - | black |
| b | - | blue |
| u | - | green |
| e | - | yellow |
| o | - | orange |
| * | - | reserved for different colours |

Colour of housing

- r - red
- s - black
- b - blue
- u - green
- e - yellow
- o - orange
- * - reserved for different colours

Costumer type

- - PCE

Lid

- 0 - without lid (IP20)
- 1 - lid with band (IP44 oder IP54)
- 2 - hinged lid (IP44)

Contact carrier

- 1 - contact carrier made of PA6
- 2 - contact carrier made of TPE (only available with hinged lid)
- 3 - contact carrier made of PA6 with LED (only type 2536)
- 4 - contact carrier made of TPE with LED (only type 2536)

Basic type

- 253 - 3-way connector with internal cord anchorage
2536 - 3-way connector with external cord anchorage
(only available with hinged lid)

OVE Certification

Accredited by the Federal Ministry for Digital and Economic Affairs as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.