

Faster – better – everywhere.





SZ 2567.300 Plastic gland plate

State: 10/10/2023 (Source: rittal.com/com-en)



POWER DISTRIBUTION 🗡 CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

SZ 2567.300 - Plastic gland plate with membranes, for AX

Simply pierce the plastic with a sharp object, and pull through the cable.

Features

Model No.	SZ 2567.300
Product description	Simply pierce the plastic with a sharp object, and pull through the cable.
Material	Plastic to UL 94-V0
Colour	Similar to RAL 7035
Note	The allocation of gland plate sizes is indicated on the relevant enclosures
Dimensions	Width: 436 mm Depth: 221 mm
To fit	Enclosure type: AX
Gland plate	Size: 7
Protection category to IEC 60 529	IP 66 if installed correctly
Type rating to UL 50E	Туре 1, 12
No. of cable entries and Ø (mm)	30 x 5-11
minmax.	52 x 10-15
	8 x 15-25
	6 x 19-34
	4 x 26-35
	2 x 26-54
	1 x 50-110
Packs of	1 pc(s).
Weight/pack	0.816 kg
Customs tariff number	39269097
EAN	4028177935747
ETIM 7.0	EC000211
ECLASS 8.0	27142421



Approvals

UL + C-UL - FTTA