

PRODUCT-DETAILS

AM3

AM3 Terminal



General Information	
Extended Product Type	АМ
Product ID	2TKA110003G
EAN	641005026096
Catalog Description	AM3 Termina
Long Description	The earthing conductors, max. 35 mm² Cu, are connected to the various pipeworl using an earthing strap PP36 with a strap clamp AM2 and terminal AM3. In case a 50 mm² or 70 mm² Cu-conductor is connected to the earthing block, both ends of the earthing strap must be pressed together with the terminal to get sufficien conductivity. The terminal and the strap clamp are of zinc-plated and yellow passivated steel. The 6 mm screws are tightened with a 10 mm wrench. The earthing strap is made of tinned annealed copper 1,5 mm thick

Technical	
Number of Conductors	1
Material	Steel

Environmental	
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Information	9AKK106713A4634
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

AM3 2

Dimensions	
Product Net Width	0.015 m
Product Net Height	0.036 m
Product Net Depth / Length	0.03 m
Product Net Weight	0.036 kg

Ordering	
Minimum Order Quantity	20 piece
Package Level 1 Units	box 20 piece
Package Level 1 Gross Weight	0.722 kg
E-Number (Finland)	5026096
E-Number (Sweden)	0681012

Certificates and Declarations	
Declaration of	9AKK10103A2338
Conformity - CE	

Installation	
Instructions and	9AKK10103A2549
Manuals	

Popular Downloads	
Data Sheet, Technical	9AKK10103A2549
Information	

Classifications	
EC000493 - Earthing pipe clamp	
EC000493 - Earthing pipe clamp	
Product Not in WEEE Scope	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Materials \rightarrow Installation\ and\ Cabling\ Accessories \rightarrow Earthing\ Material \rightarrow Terminals$

AM3

