

PRODUCT-DETAILS

PP36

PP36 Earthing strap



General Information

Extended Product Type	PP36
Product ID	2TKA110011G1
EAN	6410050260974
Catalog Description	PP36 Earthing strap
Long Description	<p>The earthing conductors, max. 35 mm² Cu, are connected to the various pipework using an earthing strap PP36 with a strap clamp AM2 and terminal AM3. In case a 50 mm² or 70 mm² Cu-conductor is connected to the earthing block, both ends of the earthing strap must be pressed together with the terminal to get sufficient conductivity. The terminal and the strap clamp are made of zinc-plated and yellow passivated steel. The 6 mm screws are tightened with a 10 mm wrench. The earthing strap is made of tinned annealed copper 1.5 mm thick.</p>

Technical

Material	Copper
----------	--------

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Information	9AKK106713A4634
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	1 m
Product Net Height	0.0045 m
Product Net Depth / Length	0.035 m
Product Net Weight	0.408 kg

Ordering

Minimum Order Quantity	20 piece
Package Level 1 Units	box 20 piece
Package Level 1 Gross Weight	8.3 kg
E-Number (Finland)	5026097
E-Number (Sweden)	0681014

Certificates and Declarations

Declaration of Conformity - CE	9AKK10103A2338
--------------------------------	----------------

Installation

Instructions and Manuals	9AKK10103A2549
--------------------------	----------------

Popular Downloads

Data Sheet, Technical Information	9AKK10103A2549
-----------------------------------	----------------

Classifications

ETIM 8	EC000493 - Earthing pipe clamp
ETIM 9	EC000493 - Earthing pipe clamp
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Materials → Installation and Cabling Accessories → Earthing Material → Other Materials

