

Eaton 276266

Catalog Number: 276266

Eaton Moeller series IS Disconnecter. Main switch, 240 V, 32A, 1HP



General specifications

Product Name	Catalog Number
Eaton Moeller series IS Disconnecter	276266
Model Code	EAN
IS-32/1	4015082762667
Product Length/Depth	Product Height
80 mm	76 mm
Product Width	Product Weight
17.5 mm	0.1 kg
Compliances	Certifications
RoHS conform	EN45545-2
	IEC 61373

Product specifications

Rated operational current for specified heat dissipation (In)

32 A

Lamp socket

Other

Heat dissipation capacity

0 W

Amperage rating

32 A

Width in number of modular spacings

1

Lamp power

0 W

Color calotte

Other

Imprint/indication

Symbol "arrows"

Voltage rating - min

240 V

Degree of protection

IP40

Switch type

Other

Rated short-time withstand current (Icw)

2 kA

Ambient operating temperature - max

40 °C

Heat dissipation per pole, current-dependent

1.3 W

Built-in depth

69.5 mm

Lamp type

Other

Number of poles

Single-pole

Ambient operating temperature - min

Resources

Certification reports

[DA-DC-03_IS](#)

Drawings

[eaton-dimensions-mas-is.jpg](#)

mCAD model

[DA-CD-is_1p](#)

[DA-CS-is_1p](#)

Wiring diagrams

[IS_1P](#)

-5 °C

Type

IS. Main load disconnect switch

Number of contacts (normally open contacts)

1

Rated switching capacity

12.5 kA

Equipment heat dissipation, current-dependent

0.5 W

Number of contacts (normally closed contacts)

1

Static heat dissipation, non-current-dependent

0 W

Application

Switchgear for industrial and advanced commercial applications

Number of contacts (change-over contacts)

0

Rated operational voltage (Ue) - max

240 V

Voltage type

AC



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)