


PRODUCT-DETAILS

# CEPY1-2002

## CEPY1-2002 Enclosure



### General Information

|                       |                                                                                                            |
|-----------------------|------------------------------------------------------------------------------------------------------------|
| Extended Product Type | CEPY1-2002                                                                                                 |
| Product ID            | 1SFA619821R2002                                                                                            |
| EAN                   | 7320500358139                                                                                              |
| Catalog Description   | CEPY1-2002 Enclosure                                                                                       |
| Long Description      | Assembled Enclosure with Shroud - 40mm Mushroom Emergency Stop - Pull Release - 2NC - Horisontally mounted |

### Ordering

|                        |          |
|------------------------|----------|
| Minimum Order Quantity | 1 piece  |
| Customs Tariff Number  | 85369001 |
| Product Main Type      | CEPY1    |

### Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Instructions and Manuals          | 1SFC151011M0201 |
| CAD Dimensional Drawing           | 2CDC001079B0201 |

| Dimensions                 |          |
|----------------------------|----------|
| Product Net Width          | 0.065 m  |
| Product Net Depth / Length | 0.08 m   |
| Product Net Height         | 0.065 m  |
| Product Net Weight         | 0.124 kg |

| Technical                       |                                                        |
|---------------------------------|--------------------------------------------------------|
| Accessory Type                  | Enclosure                                              |
| Color                           | Yellow/Light grey                                      |
| Enclosure Type NEMA             | Type1<br>Type12<br>Type13<br>Type3R<br>Type4<br>Type4X |
| Housing Material                | Plastic                                                |
| Number of Auxiliary Contacts NC | 2                                                      |
| Rated Operational Voltage       | 24 ... 300 V                                           |

| Environmental                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ambient Air Temperature                     | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Degree of Protection                        | Front IP66<br>Front IP67<br>Front IP69K<br>Housing IP69K<br>Housing IP66<br>Housing IP67<br>Terminals IP20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Material                                    | Plastic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Maximum Operating Altitude Permissible      | Without Derating 2000 m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| RoHS Information                            | 2CMT2015-005451                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| SCIP                                        | bbfbb855-3ba7-4cf4-a9ce-289f58ca421a Sweden (SE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Simplified SCIP                             | 37ad0e7b-7e0b-418c-bb35-aae2c29a8076 Bulgaria (BG)<br>67ca5c95-8989-476d-bccf-b31ca0e5d1c8 Poland (PL)<br>67043823-25dd-4e96-a30d-7e970293183b Greece (GR)<br>d388d5aa-d60a-42ac-8753-8d357733b893 Hungary (HU)<br>a55d70a2-eab4-40b5-ad97-8fce56d754f4 Estonia (EE)<br>8fd80772-3920-4536-9abd-50928228dc13 Czech Republic (CZ)<br>8929b947-60e6-45ec-b385-4b4c0048ca2a Netherlands (NL)<br>193c411a-0f2d-4eeb-895b-357033aa1ec0 Belgium (BE)<br>f1dff50-c70d-4aaf-a3df-e75d54fdd744 Spain (ES)<br>243924cc-bcb4-40cd-b2f3-ec9f4f4d4b72 Hungary (HU)<br>bd5f8c0e-331a-4329-92d0-d27ed79ba947 France (FR)<br>3f35e2a2-c719-4e9a-a073-ce238cd53f7d Germany (DE)<br>c03e77f9-38e3-4281-b7cb-ba95d74261a1 France (FR)<br>a751da17-6499-4b03-b043-cb1106827c6c Germany (DE)<br>2af78e2b-5789-4cfa-855f-89084570eb33 Italy (IT)<br>db462ac3-098f-4ea7-b9f1-16564ae7cbb5 Finland (FI)<br>a53d1776-e524-494e-b96d-37141616ef2c Poland (PL)<br>eb8a834a-c7ae-4ce3-a480-c18aed562b09 Norway (NO)<br>027422bc-a12e-43d7-bcb0-248354cd10e0 Croatia (HR)<br>fb43569a-103d-470a-b3e6-89e13e166d6b Germany (DE)<br>26093eba-ae8c-4d4c-8614-c41e0497f5a3 Belgium (BE)<br>22de5d84-e5a7-4d07-9005-79de8d8c4802 Denmark (DK)<br>c056357e-247e-4975-aaac-4e5283385332 Germany (DE)<br>d5e83410-e468-4a7d-a2b3-1a80eede241d Portugal (PT)<br>2c019f43-7a01-4de2-b0ac-7efa4106f39a Poland (PL)<br>4482388c-ac95-4292-afec-68ce6b4630a4 Sweden (SE) |

WEEE Category

Product Not in WEEE Scope

Certificates and Declarations

|                                     |                             |
|-------------------------------------|-----------------------------|
| CQC Certificate                     | CQC2003010305054693         |
| cURus Certificate                   | UL_E496500-20171020         |
| Declaration of Conformity<br>- CCC  | 2020980305001187            |
| Declaration of Conformity<br>- CE   | 2CMT2019-005802             |
| Declaration of Conformity<br>- UKCA | 2CMT2020-006122             |
| DNV GL Certificate                  | 9AKK107046A3749             |
| EAC Certificate                     | EAC RU C-CN.ME77.B.00537/19 |

Container Information

|                                   |               |
|-----------------------------------|---------------|
| Package Level 1 Units             | bag 1 piece   |
| Package Level 1 Width             | 0.1 m         |
| Package Level 1 Depth /<br>Length | 0.1 m         |
| Package Level 1 Height            | 0.078 m       |
| Package Level 1 Gross<br>Weight   | 0.154 kg      |
| Package Level 1 EAN               | 7320500358139 |

Classifications

|                                       |                                                             |
|---------------------------------------|-------------------------------------------------------------|
| eClass                                | V11.0 : 27371216                                            |
| E-Number (Finland)                    | 2312184                                                     |
| E-Number (Norway)                     | 4373376                                                     |
| E-Number (Sweden)                     | 3711620                                                     |
| ETIM 6                                | EC000225 - Control circuit devices combination in enclosure |
| ETIM 7                                | EC000225 - Control circuit devices combination in enclosure |
| ETIM 8                                | EC000225 - Control circuit devices combination in enclosure |
| ETIM 9                                | EC000225 - Control circuit devices combination in enclosure |
| IDEA Granular Category<br>Code (IGCC) | 4478 >> Electrical pushbutton enclosure                     |
| Object Classification Code            | S                                                           |
| UNSPSC                                | 39121326                                                    |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Enclosures and Assembled Stations

