

PRODUCT-DETAILS

# MEP2-0

## MEP2-0 Enclosure



| General Information   |                                                                                                                                                                                                                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | MEP2-0                                                                                                                                                                                                                                                                                     |
| Product ID            | 1SFA611812R1000                                                                                                                                                                                                                                                                            |
| EAN                   | 7320500312636                                                                                                                                                                                                                                                                              |
| Catalog Description   | MEP2-0 Enclosure                                                                                                                                                                                                                                                                           |
| Long Description      | MEP2-0 Enclosure istwo seats empty grey plastic enclosure This enclosure can fit both modular and compact range. Modular range can be with the unique possibility to mount up to 5 contact blocks assigned to one operator. Degree of protection: IP66<br>UL/NEMAtype 1, 3R, 4, 4X, 12, 13 |

| Ordering               |          |
|------------------------|----------|
| Minimum Order Quantity | 1 piece  |
| Customs Tariff Number  | 85369001 |
| Product Main Type      | MEP2     |

| Popular Downloads                 |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Instructions and Manuals          | 1SFC151011M0201 |

| Dimensions                 |          |
|----------------------------|----------|
| Product Net Width          | 0.141 m  |
| Product Net Depth / Length | 0.075 m  |
| Product Net Height         | 0.061 m  |
| Product Net Weight         | 0.203 kg |

| Technical           |                      |
|---------------------|----------------------|
| Accessory Type      | Enclosure            |
| Color               | Dark grey/Light grey |
| Enclosure Type NEMA | Type1                |
|                     | Type12               |
|                     | Type13               |
|                     | Type3R               |
|                     | Type4                |
|                     | Type4X               |
| Housing Material    | Plastic              |
| Suitable For        | MP1                  |
|                     | MP2                  |
|                     | MP3                  |
|                     | MP4                  |
|                     | MPM1                 |
|                     | KP6                  |
|                     | M2SS1                |
|                     | M2SS2                |
|                     | M2SS3                |
|                     | M2SS4                |
|                     | M2SS5                |
|                     | M2SS6                |
|                     | M3SS1                |
|                     | M3SS2                |
|                     | M3SS3                |
|                     | M3SS4                |
|                     | M3SS5                |
|                     | M3SS6                |
|                     | M3SS7                |
|                     | M3SS8                |
|                     | M3SSC1               |
|                     | M3SSC2               |
|                     | M3SSC3               |
|                     | M3SSC4               |
|                     | M3SSC5               |
|                     | M3SSC6               |
|                     | M3SSC7               |
|                     | M3SSC8               |
|                     | M2SSK1               |
|                     | M2SSK2               |
|                     | M2SSK3               |
|                     | M2SSK4               |
|                     | M3SSK1               |
|                     | M3SSK2               |
|                     | M3SSK3               |
|                     | MTS1                 |
|                     | MTS2                 |
|                     | MTS3                 |
|                     | MJS                  |
|                     | CP1                  |
|                     | CP2                  |
|                     | CP3                  |
|                     | CP4                  |

|                            |               |
|----------------------------|---------------|
|                            | CP11          |
|                            | CP12          |
|                            | CP33          |
|                            | C2SS1         |
|                            | C2SS2         |
|                            | C2SS3         |
|                            | CPM3          |
|                            | CL            |
|                            | CL2           |
|                            | CB1           |
|                            | CP6           |
|                            | P9MP          |
|                            | P9MS          |
|                            | P9ME          |
|                            | P9ML          |
|                            | P9MM          |
|                            | P9MC          |
|                            | P9MSC         |
|                            | P9MPS         |
| Suitable for Product Class | Pilot Devices |

| Environmental                               |                                                                        |
|---------------------------------------------|------------------------------------------------------------------------|
| Ambient Air Temperature                     | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C                     |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658                                                        |
| Degree of Protection                        | Front IP66<br>Housing IP66                                             |
| Material                                    | Plastic                                                                |
| REACH Declaration                           | 2CMT2022-006479                                                        |
| RoHS Information                            | 2CMT2015-005452                                                        |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| WEEE Category                               | Product Not in WEEE Scope                                              |

| Certificates and Declarations    |                 |
|----------------------------------|-----------------|
| cULus Certificate                | 9AKK107046A9925 |
| Declaration of Conformity - CE   | 2CMT2015-005452 |
| Declaration of Conformity - UKCA | 2CMT2020-006121 |
| DNV GL Certificate               | E-14107         |

| Container Information          |               |
|--------------------------------|---------------|
| Package Level 1 Units          | bag 1 piece   |
| Package Level 1 Width          | 0.11 m        |
| Package Level 1 Depth / Length | 0.18 m        |
| Package Level 1 Height         | 0.061 m       |
| Package Level 1 Gross Weight   | 0.22 kg       |
| Package Level 1 EAN            | 7320500312636 |

| Classifications |  |
|-----------------|--|
|-----------------|--|

|                                    |                                                  |
|------------------------------------|--------------------------------------------------|
| eClass                             | V11.0 : 27371205                                 |
| E-Number (Finland)                 | 2339547                                          |
| E-Number (Norway)                  | 4373042                                          |
| E-Number (Sweden)                  | 3717104                                          |
| ETIM 6                             | EC000200 - Enclosure for control circuit devices |
| ETIM 7                             | EC000200 - Enclosure for control circuit devices |
| ETIM 8                             | EC000200 - Enclosure for control circuit devices |
| ETIM 9                             | EC000200 - Enclosure for control circuit devices |
| IDEA Granular Category Code (IGCC) | 4478 >> Electrical pushbutton enclosure          |
| Object Classification Code         | S                                                |
| UNSPSC                             | 39121326                                         |

---

**Categories**

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Enclosures and Assembled Stations  
Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)

