

PRODUCT-DETAILS

AM5

AM5 Potential equalizing busbar



General Information	
Extended Product Type	AM5
Product ID	2TKA110005G1
EAN	6410019130966
Catalog Description	AM5 Potential equalizing busbar
Long Description	The potential earthing bar AM5 is intended for the connection of system earthing conductors in buildings. Into AM5 it is possible to connect 5 pcs max. 50 mm? conductors. The bar is made of tinned copper and fitted with zinc-plated steel screws and tracking-resistant thermoplastic spacers.

Technical	
Model Number	Without covering cap
Number of Connections	Number of connections round conductor 8-10 mm: 5 Number of connections round conductor total: 5
Design	Surface mounting fix
Surface Finishing	Surface of the clamp: Untreated
Clamp Material	Stainless Steel V4A
Contact Rail Material	Copper

			\sim			
n	ハつta	arıal	Cor	ททเ	ıan	\sim
١,	/Iau	- II ai	COL	пы	ıaı	-

RoHS Information 9AKK106713A4634

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

AM5 2

RoHS Date	20160321		
REACH Declaration	9AKK106713A4633		
Conflict Minerals	9AKK108468A3363		
Reporting Template (CMRT)			
(OWITT)			
Dimensions			
Product Net Width	16 mm		
Product Net Height	98 mm		
Product Net Depth /	0.04 m		
Length Product Net Weight	0.146 kg		
Trouble from the first from the firs	0.110 Ng		
Ordering			
Package Level 1 Units	box 5 piece		
Package Level 1 Gross	0.734 kg		
Weight	4040000		
E-Number (Finland) E-Number (Sweden)	1913096 0681004		
E-Number (Sweden)	0081004		
Certificates and Declarations			
Declaration of Conformity - CE	9AKK10103A2338		
Installation			
Instructions and Manuals	9AKK10103A2549		
Popular Downloads			
Data Sheet, Technical	9AKK10103A2549		
Information			
Classifications			
ETIM 8	EC001470 - Equipotential bonding bar		
ETIM 9	EC001470 - Equipotential bonding bar		
WEEE Category	Product Not in WEEE Scope		

AM5 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Materials \rightarrow Installation\ and\ Cabling\ Accessories \rightarrow Earthing\ Material \rightarrow Terminals$

