

PRODUCT-DETAILS

AM9

AM9 Earthing terminal



General Information

Extended Product Type	AM9
Product ID	2TKA110009G1
EAN	6410019130492
Catalog Description	AM9 Earthing terminal

Long Description

The earthing terminal AM9 is mainly used to connect earthing conductors to various kinds of pipework, in sizes Ø 6-15 mm. The earthing terminal can also be used to connect earthing conductors to a building's concrete reinforcement. A suitable concrete reinforcement bar has a diameter of between 8-15 mm. The earthing conductor has one 4-35 mm² strap. If there is a need for a 25 mm² copper connector, two AM9 terminals must be used in parallel. The conductor bar is made of tinned copper and the strap is made of zinc-plated, yellow-passivated steel.

Technical

Number of Conductors	1
----------------------	---

Material Compliance

RoHS Information	9AKK106713A4634
------------------	-----------------

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Date	20160321
REACH Declaration	9AKK106713A4633
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	0.017 m
Product Net Height	0.047 m
Product Net Depth / Length	0.035 m
Product Net Weight	0.04325 kg

Ordering

Package Level 1 Units	bag 1 piece
Package Level 1 Gross Weight	0.0443 kg
E-Number (Finland)	1913049
E-Number (Sweden)	0681018

Certificates and Declarations

Declaration of Conformity - CE	9AKK10103A2338
--------------------------------	----------------

Installation

Instructions and Manuals	9AKK10103A2549
--------------------------	----------------

Popular Downloads

Data Sheet, Technical Information	9AKK10103A2549
-----------------------------------	----------------

Classifications

ETIM 8	EC000493 - Earthing pipe clamp
ETIM 9	EC000493 - Earthing pipe clamp
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Materials → Installation and Cabling Accessories → Earthing Material → Terminals

