

PRODUCT-DETAILS

# CR-M4SS

## CR-M4SS Standard socket for 2c/o or 4c/o CR-M relay



### General Information

Extended Product Type	CR-M4SS
Product ID	1SVR405651R3000
EAN	4013614528675
Catalog Description	CR-M4SS Standard socket for 2c/o or 4c/o CR-M relay
Long Description	The CR-M4SS socket is from the CR-M (miniature) relay range. The standard socket is suitable for CR-M relays with 2 and 4 c/o (SPDT) output contacts. The socket has screw connection terminals. Pluggable function modules, holder and marker are available as accessories.

### Ordering

EAN	4013614528675
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

### Popular Downloads

Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and Manuals	1SVC405650M9000

CAD Dimensional  
Drawing

2CDC001079B0201

**Dimensions**

Product Net Width	27 mm
Product Net Height	42.5 mm
Product Net Depth / Length	82 mm
Product Net Weight	0.07 kg

**Technical**

Function	Accessory for interface relays CR-M
Sub-Function	Socket for miniature relays
Sub-Function 2	Standard socket for miniature relay 2 c/o or 4 c/o
Rated Operational Voltage	250 V
Output	none
Terminal Type	Screw Terminals
Rated Operational Current AC-12 ( $I_e$ )	(230 V) 7 A
Rated Insulation Voltage ( $U_i$ )	3 V
Mounting Position	1
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

**Technical UL/CSA**

Connecting Capacity Main Circuit UL/CSA	Flexible with Ferrule 2x 20-16 AWG Rigid 2x 20-14 AWG Stranded 2 x 20-14 AWG
Flammability According to UL94	V-0

**Environmental**

Ambient Air Temperature	Operation -40 ... +70 °C Storage -40 ... +70 °C
Maximum Operating Altitude Permissible	2000 m

**Material Compliance**

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	No declaration needed
RoHS Information	1SVD982020-0001
RoHS Status	Following EU Directive 2011/65/EU

---

## Circular Value

---

Environmental Information	1SAC200048H0009
---------------------------	-----------------

---



---

## Certificates and Declarations

---

CSA Certificate	CSA_262671_2785566
cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19

---



---

## Container Information

---

Package Level 1 Units	box 10 piece
Package Level 1 Width	141 mm
Package Level 1 Depth / Length	78 mm
Package Level 1 Height	95 mm
Package Level 1 Gross Weight	0.702 kg
Package Level 1 EAN	4013614373800

---



---

## Classifications

---

Object Classification Code	K
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335
E-Number (Finland)	2712717
E-Number (Sweden)	4005374

---



---

## Categories

---

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)

