

PRODUCT-DETAILS

# CR-U3S

## CR-U3S Socket for 3c/o CR-U relay



### General Information

Extended Product Type	CR-U3S
Product ID	1SVR405660R0000
EAN	4013614528996
Catalog Description	CR-U3S Socket for 3c/o CR-U relay
Long Description	The CR-U3S socket is from the CR-U (universal) relay range. The socket is suitable for CR-U relays with 3 c/o (SPDT) output contacts. The socket has screw connection terminals. Pluggable function modules, holder and marker are available as accessories

### Ordering

EAN	4013614528996
Minimum Order Quantity	10 piece
Customs Tariff Number	85369010

### Popular Downloads

Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and Manuals	1SVC405650M9000
CAD Dimensional Drawing	2CDC001079B0201

## Dimensions

Product Net Width	38 mm
Product Net Height	26 mm
Product Net Depth / Length	75 mm
Product Net Weight	0.065 kg

## Technical

Function	Accessory for interface relays CR-U
Sub-Function	Socket for universal relays
Sub-Function 2	Socket for universal relay 3 c/o
Rated Operational Voltage	250 V
Output	none
Terminal Type	Screw Terminals
Rated Operational Current AC-12 (I <sub>θ</sub> )	(230 V) 10 A
Rated Insulation Voltage (U <sub>i</sub> )	2 V
Mounting Position	1
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

## Technical UL/CSA

Connecting Capacity Main Circuit UL/CSA	Flexible with Ferrule 2x 20-16 AWG Rigid 2x 20-14 AWG Stranded 2 x 20-14 AWG
Flammability According to UL94	V-0

## Environmental

Ambient Air Temperature	Operation -40 ... +70 °C Storage -40 ... +70 °C
Maximum Operating Altitude Permissible	2000 m

## Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	No declaration needed
RoHS Information	1SVD982020-0001
RoHS Status	Following EU Directive 2011/65/EU

## Circular Value

Environmental Information	1SAA981009-2401
---------------------------	-----------------

## Certificates and Declarations

CSA Certificate	CSA 262671 2785566
cURus Certificate	cURus508_E244328

Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000
EAC Certificate	EAC RU C-DE.ME77.B.00446-19

## Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	133 mm
Package Level 1 Depth / Length	81 mm
Package Level 1 Height	84 mm
Package Level 1 Gross Weight	0.652 kg
Package Level 1 EAN	4013614374364

## Classifications

Object Classification Code	K
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335
E-Number (Finland)	2712801
E-Number (Sweden)	4005436

## Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)

Medium Voltage Products and Systems → Switchgear and Motor Control → IEC - Primary Air Insulated Switchgear → UniGear → UniGear ZS2

