

PRODUCT-DETAILS

# OFAF0H160

## OFAF0H160 HRC FUSE LINK



### General Information

|                       |                                      |
|-----------------------|--------------------------------------|
| Extended Product Type | OFAF0H160                            |
| Product ID            | 1SCA022627R3170                      |
| EAN                   | 6417019205656                        |
| Catalog Description   | OFAF0H160 HRC FUSE LINK              |
| Long Description      | OFAF0H160 HRC Fuse Link Size NH0, gG |

### Circular Value

|   |                 |
|---|-----------------|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| Environmental Information                   | 1SCC317009D0201 |
| REACH Declaration                           | 1SCC011021D0201 |
| RoHS Information                            | 1SCC011020D0201 |

### Ordering

|                        |              |
|------------------------|--------------|
| Minimum Order Quantity | 3 piece      |
| Customs Tariff Number  | 85361090     |
| Country of Origin      | Hungary (HU) |

## Popular Downloads

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Data Sheet, Technical Information | 1SCC317001C0201                    |
| Instructions and Manuals          | No Instructions and Manuals needed |

## Dimensions

|                            |         |
|----------------------------|---------|
| Product Net Width          | 40 mm   |
| Product Net Height         | 125 mm  |
| Product Net Depth / Length | 60 mm   |
| Product Net Weight         | 0.21 kg |

## Technical

|                         |           |
|-------------------------|-----------|
| Power Loss              | 14.6 W    |
| Fuse Size               | NH0       |
| Fuse System             | DIN       |
| Standards               | IEC 60269 |
| Fuse Type               | gG        |
| Rated Current ( $I_n$ ) | 160 A     |
| Rated Voltage ( $U_r$ ) | 500 V     |

## Environmental

|                           |  |
|---------------------------|--|
| RoHS Status               | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Environmental Information | 1SCC317009D0201  |

## Certificates and Declarations

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 1SCC317005D2706 |
| REACH Declaration              | 1SCC011021D0201 |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 3 piece       |
| Package Level 1 Width          | 40 mm         |
| Package Level 1 Depth / Length | 125 mm        |
| Package Level 1 Height         | 60 mm         |
| Package Level 1 Gross Weight   | 0.6615 kg     |
| Package Level 1 EAN            | 6417019205656 |

## Classifications

|                       |   |
|-----------------------|---|
| Object Classification | F |
|-----------------------|---|

|                    |  |
|--------------------|--|
| Code               |  |
| ETIM 7             | EC000055 - Low Voltage HRC fuse                            |
| ETIM 8             | EC000055 - Knife blade fuse                                |
| ETIM 9             | EC000055 - Knife blade fuse                                |
| eClass             | V11.1 : 27142005   |
| WEEE Category      | 5. Small Equipment (No External Dimension More Than 50 cm) |
| E-Number (Finland) | 3112896  |

---

## Categories

---

Low Voltage Products and Systems → Fusegear → Fuse Links

