

# Eaton 207345

Catalog Number: 207345

Eaton Moeller® series P3 Main switch, P3, 63 A, surface mounting, 3 pole, 1 N/O, 1 N/C, STOP function, With black rotary handle and locking ring, Lockable in the 0 (Off) position



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Moeller® series P3 Main switch	207345
<b>EAN</b>	<b>Product Length/Depth</b>
4015082073459	139 mm
<b>Product Height</b>	<b>Product Width</b>
240 mm	160 mm
<b>Product Weight</b>	<b>Certifications</b>
1.105 kg	IEC/EN 60204
	IEC/EN 60947-3
	CSA
	IEC/EN 60947
	VDE 0660
	UL
<b>Catalog Notes</b>	<b>Model Code</b>
Rated Short-time Withstand Current (I <sub>cs</sub> ) for a time of 1 second	P3-63/I4/SVB-SW/HI11

## Resources

### Brochures

Brochure - T Rotary Cam switch and P Switch-disconnector

### Catalogues

P1-40 Switch-disconnectors

P Switch-disconnectors and T Rotary cam switches catalogue  
CA042001EN

### Declarations of conformity

DA-DC-00004896.pdf

DA-DC-00004924.pdf

### Drawings

eaton-rotary-switches-padlock-t0-main-switch-dimensions.eps

eaton-rotary-switches-p3-main-switch-dimensions-012.eps

eaton-rotary-switches-t0-main-switch-symbol.eps

eaton-general-switch-t0-main-switch-symbol.eps

eaton-general-totally-insulated-t0-main-switch-symbol.eps

eaton-rotary-switches-surface-mounting-t0-main-switch-3d-drawing.eps

### eCAD model

ETN.P3-63\_I4\_SVB-SW\_HI11

### Installation instructions

eaton-rotary-switches-p3-63-p3-80-p3-100-cam-switch-disconnector-  
p3-instruction-leaflet-il03801010z.pdf

### Installation videos

Eaton's P Switch-disconnectors used in a factory

### mCAD model

DA-CD-bauform11

DA-CS-bauform11

### Wiring diagrams

eaton-rotary-switches-contact-p1-main-switch-wiring-diagram.eps



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)