

PRODUCT-DETAILS

6303.0258.0

ADB 3M Insulated connector

For sale but "Obsolete", replaced by



General Information	
Global Commercial Alias	6303.0258.0
Extended Product Type	ADB 3M
Product ID	2CGX063030258
EAN	7331980003747
Catalog Description	ADB 3M Insulated connector
Long Description	Insulated connector for compact fitting of AD 300 for 3 phases

Circular Value	
Environmental Information	1SCC100001D0201
REACH Declaration	2CGC0049
RoHS Information	2CGC0040

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Last Ordering Date	2019-12-31 All Countries
Replacement Product ID	2CGD000692A1000

(NEW)

Country of Origin	Sweden (SE)
-------------------	-------------

Popular Downloads

Data Sheet, Technical Information	2CGC0036
Instructions and Manuals	4380002400

Dimensions

Product Net Width	38 mm
Product Net Height	40 mm
Product Net Depth / Length	100 mm
Product Net Weight	0.7 kg

Technical

Conventional Thermal Current (I _{the})	500 A
Rated Insulation Voltage (U _i)	690 V
Rated Operational Voltage	690 V
Cable Cross-Section	50 ... 300 mm ²
Degree of Protection	acc. to IEC 60529 IP2X
Tightening Torque	20 N·m

Technical UL/CSA

Tightening Torque	20 N·m
-------------------	--------

Environmental

Environmental Information	1SCC100001D0201
---------------------------	-----------------

Certificates and Declarations

Declaration of Conformity - CE	2CGC0021
REACH Declaration	2CGC0049

Container Information

Package Level 1 Units	1 bag
Package Level 1 Width	155 mm
Package Level 1 Depth / Length	40 mm
Package Level 1 Height	100 mm

Package Level 1 Gross Weight	0.7 kg
Package Level 1 EAN	7331980003747

Classifications

ETIM 7	EC000001 - Busbar terminal
ETIM 8	EC000001 - Busbar terminal
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Sweden)	0732607

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

