

PRODUCT-DETAILS

4332.0194.0

KSNS 460 Neutral busbar



General Information

Global Commercial Alias	4332.0194.0
Extended Product Type	KSNS 460
Product ID	2CGX043320194
EAN	7331980004973
Catalog Description	KSNS 460 Neutral busbar
Long Description	Busbars without protection against accidental contact (type PEN and N), IP 00

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CGC0049
RoHS Information	2CGC0038

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Country of Origin	Sweden (SE)

Popular Downloads	
Data Sheet, Technical Information	2CGC0036
Instructions and Manuals	No Instructions and Manuals needed

Dimensions	
Product Net Width	835 mm
Product Net Height	30 mm
Product Net Depth / Length	20 mm
Product Net Weight	0.5 kg

Technical	
Conventional Thermal Current (I_{the})	400 A
Rated Insulation Voltage (U_i)	1000 V
Rated Operational Voltage	690 V
Rated Peak Withstand Current Low Voltage (I_{pk})	55 kA
Rated Short-time Withstand Current Low Voltage (I_{cw})	for 0.2 s 30 kiloampere rms
Rated Conditional Short-Circuit Current (I_{nc})	(3//315 A fuse, 690 V) 50 kiloampere rms (3//250 A fuse, 690 V) 85 kiloampere rms
Degree of Protection	acc. to IEC 60529 IP00

Certificates and Declarations	
Declaration of Conformity - CE	2CGC0020
REACH Declaration	2CGC0049

Container Information	
Package Level 1 Units	1 euro pallet
Package Level 1 Width	30 mm
Package Level 1 Depth / Length	835 mm
Package Level 1 Height	20 mm
Package Level 1 Gross Weight	0.5 kg
Package Level 1 EAN	7331980004973

Classifications	
ETIM 7	EC001522 - Busbar
ETIM 8	EC001522 - Busbar

ETIM 9	EC001522 - Busbar
eClass	V11.1 : 27370303
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
E-Number (Finland)	5451707
E-Number (Sweden)	0732893

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

