




Energy & Power > Power Cable Accessories > Power Cable Terminations



Power Cable Termination Product Availability: **CIS, Russia**

Installation Instruction: **Estonian**

Power Cable Termination Technology: **Heat Shrink**

Power Cable Termination Voltage Class: **≤ 24 kV**

Cable Shield Style: **Wire Copper**

## Features

### Product Type Features

Power Cable Termination Technology	Heat Shrink
Cable Shield Style	Wire Copper
Insulation	Polymeric
Product Family	Raychem

### Configuration Features

Number of Cores	1
-----------------	---

### Electrical Characteristics

Power Cable Termination Voltage Class	≤ 24 kV
---------------------------------------	---------

### Contact Features

Mechanical Lug Included (M12, Conductor)	No
Mechanical Lug Included (M16, Conductor)	Yes

### Dimensions

Cross-Section Range	120 – 240 mm <sup>2</sup>
---------------------	---------------------------

### Operation/Application

Application Type	Indoor
------------------	--------

### Industry Standards

Design Specification	GOST 13781.0.86,UHL 1, HD CENELEC 629.1, IEC 60502-4
----------------------	--



### Product Availability

Power Cable Termination Product Availability	CIS, Russia
--	-------------

### Other

Installation Instruction	Estonian
--------------------------	----------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUN 2016 (169) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



### Also in the Series | RAYCHEM POLT



### Customers Also Bought





## Documents

### Product Drawings

[POLT-24D/1XI-L16B](#)

English

---

### Datasheets & Catalog Pages

[POLT-1CORE-TERMINATION-PLASTIC-CABLES](#)

English

---

### Instruction Sheets

[Instruction Sheet \(non U.S.\)](#)

English

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)