




Energy & Power > Power Cable Accessories > Joints & Splices



Joints & Splice Product Availability: CIS, Russia, SEE

Installation Instruction: Estonian

Joints & Splice Technology: Heat Shrink

Joints & Splice Voltage Class: ≤ 24 kV

Joint & Splice Application Type: Inline

Features

Product Type Features

Joints & Splice Technology	Heat Shrink
Joints & Splice Product Type	Medium Voltage Size Transition Joint
Insulation	Polymeric
Cable Shield Style	Tape Copper, Wire Copper
Mechanical Connectors Included	Yes
Connector Type	Mechanical

Configuration Features

Number of Cores	3
-----------------	---

Electrical Characteristics

Joints & Splice Voltage Class	≤ 24 kV
-------------------------------	---------

Dimensions

Cross-Section Range	70 – 150 mm ²
Cable Cross-Section (Max) (Main)	150 mm ²
Cable Cross-Section (Min) (Main)	70 mm ²

Operation/Application

Joint & Splice Application Type	Inline
---------------------------------	--------

Industry Standards



Design Specification	GOST 13781.0.86,UHL 1, HD CENELEC 629.1, IEC 60502-4
----------------------	--

Product Availability

Joints & Splice Product Availability	CIS, Russia, SEE
--------------------------------------	------------------

Packaging Features

Packaging Quantity	1
--------------------	---

Other

Installation Instruction	Estonian
--------------------------	----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # CAT-BSM
Mechanical Connectors & Repair Sleeves




TE Part # CAT-CABLE-BREAKOUT
HEAT SHRINK HALOGEN-FREE CABLE BREAKOUTS



TE Part # CAT-WCSM
Thick-Wall Heat Shrink Tubing

Also in the Series | RAYCHEM POLJ



Joints & Splices(155)

Customers Also Bought



TE Part #CF6026-000
CSJA-1522



TE Part #CM6539-000
HVBT-1-R-01(B8)



TE Part #1974130-1
Shear Bolt Connectors up to 35 kV



TE Part #A90301-000
BCAC-G-5D/8-01(B12)



TE Part #1974102-1
CSBS-300-750



TE Part #C70612-000
BISG-G-60/115-02(S10)



TE Part #CL7586-000
HVS-C-1523S



TE Part #493165-000
HVES-1523D



TE Part #499268-000
ALR-AA-105



Documents

Product Drawings

[POLJ-24/3X70-150](#)

English

Datasheets & Catalog Pages

[POLJ-3CORE-JOINT-PLASTIC-CABLES](#)

English