

Eaton EP-400215

Catalog Number: EP-400215

Eaton Moeller series SLC Stack light compact, Green, Yellow, Red, 230 V AC, Wall mounting




Photo is representative

General specifications

Product Name	Catalog Number
Eaton Moeller® series SLC Signal tower compact	EP-400215
	Model Code
	SLC-FW-RYG-230
EAN	Product Length/Depth
4015082954956	79 mm
Product Height	Product Width
237 mm	61 mm
Product Weight	Certifications
0.204 kg	CE

defaultTaxonomyAttributeLabel

Type

Complete device

Product Category

SL signal towers

Fitted with:

Push-in

Pollution degree

3

Connection to SmartWire-DT

No

Mounting Method

Wall

Illumination

Continuous LED

Red blinking LED

Decibel

0 dB

Ambient operating temperature - max

50 °C

Ambient operating temperature - min

-25 °C

Leakage current

0.003 A

Outside diameter

61 mm

Radiation angle

360 °

Rated operational voltage (Ue) - max

230 V

Rated operational voltage (Ue) - min

230 V

Color

Black tube

Green

Yellow

Red

Resources

Declarations of conformity

[DA-DC-00004994.pdf](#)

[DA-DC-00004998.pdf](#)

Installation instructions

[eaton-operating-devices-stacklight-compact-slc-instruction-leaflet-il047032zu.pdf](#)

mCAD model

[eaton-slc_fw_ryg-drawing.dwg](#)

[eaton-slc-fw-ryg-3d-model.stp](#)

Lens color

Green
Yellow
Red

Voltage type

AC

Material

UV Protected material

Mounting position

As required

Degree of protection

IP66
NEMA 4X

Overvoltage category

III

Lifespan, electrical

50,000 h

Light type

Continuous light
Red blinking light

Loudness

0 dB

Light modules

LED

Number of modules

1

Rated operational voltage

230 V AC
230-240V AC +/-10% (50hz/60Hz)

Terminal capacity

Push-in 6-pole
up to 1,5mm² without plastic collar
up to 0,75mm² with plastic collar

Voltage type of operating voltage

AC

Operating voltage at AC, 50 Hz - min

207 V

Operating voltage at AC, 50 Hz - max

253 V

Operating voltage at AC, 60 Hz - min
207 V

Operating voltage at AC, 60 Hz - max
264 V

Operating voltage at DC - min
0 V

Operating voltage at DC - max
0 V

Color light 1
Green

Color light 2
Yellow

Color light 3
Red



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia