
Main Range

Product name

Poles description

mounting mode

Max power



Connection to the vehicle

Number of charge point

Product or component type

Complementary rated supply voltage 400 V AC 50...60 Hz +/- 10 % Earthing system IT 230 TN-S Number of inputs 1 Input type Dry contact for dynamic energy management Local signalling Red, green and blue 1 LED, function: status indication Protection type Earth-leakage protection Height 352 mm Width 244 mm Depth 117 mm Net weight 5.1 kg Colour White/green Standards EN 61851 IEC 61851-1 Communication network type Wi-Fi Wireless Communication port protocol OCPP 1.6, for connection to the Schneider Electric Wiser app

Environment

IP degree of protection	IP55 conforming to EN/IEC 60529
IK degree of protection	IK10
Ambient air temperature for operation	-3555 °C

Ambient air temperature for storage	-4085 °C
Relative humidity	595 %
Operating altitude	02000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	30.000 cm
Package 1 Width	29.000 cm
Package 1 Length	48.000 cm
Package 1 Weight	7.490 kg
Unit Type of Package 2	P12
Number of Units in Package 2	18
Package 2 Height	103.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	147.000 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Offer Marketing Illustration

Product benefits / Features

