2512-922-507 1/3



PRODUCT-DETAILS

2512-922-507

Cover frame 2-gang(s) white - Basic55



Extended Product Type	2512-922-507
Product ID	2CKA001725A1410
EAN	4011395319680
Catalog Description	Cover frame 2-gang(s) white - Basic55
Long Description	Cover frame 2gang
Installation	
Installation	No description and add
Instructions and Manuals	No document needed
Mounting Type Type of Fastening	Flush Mounted Clamp
Mounting Orientation	Horizontal Vertical
Modular Components Included	Cover Frame
Environmental	
Degree of Protection	IP20

2512-922-507 2/3

Technical	
Data Sheet, Technical Information	No document needed
Number of Gangs	2
Design	
Design Range	Basic55
Surface Finishing	Untreated Glossy
Material	Thermoplastic Thermoplastic
Label Space Provided	No
RAL Number	Similar to RAL 1013
Color	white white
Dimensions	
Dimensions	
Product Net Width	0.027 m
Product Net Height	0.086 m
Product Net Depth / Length	0.07 m
Product Net Weight	36.243 kg
Material Compliance	
RoHS Information	2CKA200000E7773
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240705
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Certificates and Declarations	
Declaration of Conformity	No declaration needed
-CE	
Classifications	
Classifications ETIM 9	EC000007 - Cover frame for domestic switching devices
ETIM 9	EC000007 - Cover frame for domestic switching devices V11.0: 27144001
•	EC000007 - Cover frame for domestic switching devices V11.0 : 27144001 5. Small Equipment (No External Dimension More Than 50 cm)

2512-922-507 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow free@home \rightarrow User\ Operation \rightarrow Frames$

 $\text{Low Voltage Products and Systems} \rightarrow \text{Building and Home Automation Solutions} \rightarrow \text{KNX} \rightarrow \text{User Operation}$

Low Voltage Products and Systems \rightarrow Wiring Accessories - Light Switch Ranges \rightarrow Frames

