

TMP-UCT-MAG2 - Magazine

0803343

<https://www.phoenixcontact.com/it/products/0803343>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-TMF..., length: 0.166 m, width: 114 mm, height: 11.5 mm



Commercial data

Item number	0803343
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG1
Product key	BG122Z
Catalog page	Page 36 (C-3-2019)
GTIN	4055626041865
Weight per piece (including packing)	417.5 g
Weight per piece (excluding packing)	400.4 g
Customs tariff number	84439990
Country of origin	DE

Technical data

Product properties

Product type	Magazine
--------------	----------

Dimensions

Width	114 mm
Height	11.5 mm
Depth	9.5 mm
Length	166 mm

Material specifications

RoHS compliant	yes
----------------	-----

Environmental and real-life conditions

Ambient conditions

Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.
--------------------------------	---

Classifications

ECLASS

ECLASS-11.0	19140615
ECLASS-12.0	19140615
ECLASS-13.0	19140615

ETIM

ETIM 9.0	EC001675
----------	----------

UNSPSC

UNSPSC 21.0	43211600
-------------	----------

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

0803343

<https://www.phoenixcontact.com/it/products/0803343>

Accessories

THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

<https://www.phoenixcontact.com/it/products/1085267>



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

THERMOMARK PRIME 2.0 - Thermal transfer printer

1472405

<https://www.phoenixcontact.com/it/products/1472405>



Thermal transfer printer for printing card materials with a print resolution of 300 dpi. Suitable for stationary as well as mobile use thanks a 7" color touch display with integrated "MARKING system app" and a replaceable battery pack.

TMP-UCT-MAG2 - Magazine

0803343

<https://www.phoenixcontact.com/lt/products/0803343>



THERMOMARK CARD - Thermal transfer printer

5146464

<https://www.phoenixcontact.com/lt/products/5146464>

Thermal transfer printer for cards



Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact UAB

Svitrigailos str. 11B

03228 Vilnius

+370 5 2106321

balticinfo@phoenixcontact.com