

# PRODUCT DATASHEET

## Tracklight Rail 1M White

Tracklight rail and base | Tracklight rail and base

---

### Areas of application

- Kitchens, living rooms, children's rooms or home offices
- Entrance areas



---

### Product benefits

- Timeless elegant design
- Made of solid aluminum with high-quality appearance

---

### Product features

- Customisable modular tracklight system



TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50/60 Hz
Protection class	I

Dimensions & Weight

Length	1000 mm
Width	35.0 mm
Height	18.0 mm
Product weight	460.00 g



TRACKLIGHT RAIL 1M WT

Materials & Colors

Product color	White
Body material	Aluminum

Application & Mounting

Ambient temperature range	-20...+40 °C
Type of connection	Terminal, 2-pin
Type of protection	IP20
Mounting type	Surface
Mounting location	All surfaces

Certificates & Standards

Standards	CE / UKCA
Ball shot safe	No

Additional product data

BEG subsidy	No
-------------	----




Accessories Optional

Product image	Product name	EAN
	Tracklight Flexible Connector White	4058075764088
	Tracklight Linear Connector White	4058075764002
	Tracklight Supply Connector White	4058075763968
	Tracklight Cross Connector White	4058075764125
	Tracklight Corner Connector White	4058075764040
	Tracklight Suspension Kit White	4058075764163

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	TRACKLIGHT RAIL
	Declarations of conformity	TRACKLIGHT
	Declarations of conformity UKCA	TRACKLIGHT ACCESSORIES

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075763920	BAG 1	19 mm x 60 mm x 1,090 mm	469.00 g	1.24 dm <sup>3</sup>
4058075763937	Shipping box 16	1,027 mm x 227 mm x 115 mm	8037.00 g	26.81 dm <sup>3</sup>
4099854116179	Shipping box 4	1,010 mm x 82 mm x 56 mm	2020.00 g	4.64 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.