

https://www.phoenixcontact.com/pc/products/0803342



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Magazine, for the THERMOMARK PRIME and the THERMOMARK CARD, for accommodating UCT-TM..., UCT1(U)-TM..., UCT5-TM..., UCT-EM (5x10), UCT-EM (6x10), length: 0.166 m, width: 114 mm, height: 11.5 mm



Commercial data

Item number	0803342
Packing unit	1 pc
Minimum order quantity	· ·
•	1 pc
Product key	BG122Z
Catalog page	Page 36 (C-3-2019)
GTIN	4055626041858
Weight per piece (including packing)	398.3 g
Weight per piece (excluding packing)	394 g
Customs tariff number	84439990
Country of origin	DE



https://www.phoenixcontact.com/pc/products/0803342



Technical data

Product properties

	Product type	Magazine	
Dimensions			
	Width	114 mm	
	Height	11.5 mm	
	Depth	9.5 mm	
	Length	166 mm	
Ma	terial specifications		

yes

Environmental and real-life conditions

Ambient conditions

RoHS compliant

Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in
	the original packaging is recommended.



https://www.phoenixcontact.com/pc/products/0803342



Classifications

_	\sim	$\Lambda \cap \cap$
		A. 7. 7

	ECLASS-13.0	19140615
ETIM		
_	· IIVI	
	ETIM 9.0	EC001675
UNSPSC		
	UNSPSC 21.0	43211600



https://www.phoenixcontact.com/pc/products/0803342



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	



https://www.phoenixcontact.com/pc/products/0803342



Accessories

THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

https://www.phoenixcontact.com/pc/products/1085267



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

THERMOMARK CARD - Thermal transfer printer

5146464

https://www.phoenixcontact.com/pc/products/5146464



Thermal transfer printer for cards

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstraße 8 D-32825 Blomberg +49 (0) 5235-3 00 info@phoenixcontact.com