




PRODUCT-DETAILS

SLE 1

SLE 1 Fuse switch disconnecter



General Information	
Extended Product Type	SLE 1
Product ID	2CGD000840A1000
EAN	7331980014477
Catalog Description	SLE 1 Fuse switch disconnecter
Long Description	Fuse switch disconnecter with dependent manual operation

ABB EcoSolutions	
Environmental Product Declaration - EPD	2CGD001327S1000

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CGC0115
RoHS Status	Following EU Directive 2011/65/EU

Popular Downloads

Data Sheet, Technical Information	2CGC0036
Instructions and Manuals	2CGD001111S1000
Environmental Product Declaration - EPD	2CGD001327S1000

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Country or Territory of Origin	Sweden

Dimensions

Product Net Width	120 mm
Product Net Height	182 mm
Product Net Depth / Length	517 mm
Product Net Weight	3 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	120 mm
Package Level 1 Depth / Length	517 mm
Package Level 1 Height	182 mm
Package Level 1 Gross Weight	3.2 kg
Package Level 1 EAN	7331980014477
Package Level 2 Units	32 euro pallet
Package Level 2 Width	800 mm
Package Level 2 Depth / Length	1200 mm
Package Level 2 Height	750 mm
Package Level 2 Gross Weight	102.3 kg

Technical

Cable Cross-Section	Conductor 50 ... 300 mm ²
Conventional Thermal Current (I _{the})	250 A
Distance Between Phases	85 mm
Fuse Size	1
Fuse Type	NH
Handle Type	Cover grip
Number of Poles	3P

Rated Impulse Withstand Voltage (U _{imp})	12 kV·A
Rated Insulation Voltage (U _i)	800 V
Rated Operational Current AC-22B (I _e)	(800 V) 200 A (690 V) 250 A
Rated Operational Current AC-23B (I _e)	(400V) 250 A
Rated Peak Withstand Current Low Voltage (I _{pk})	26.0 kA
Rated Short-time Withstand Current Low Voltage (I _{cw})	for 1 s 13.0 kiloampere rms
Tightening Torque	20 N·m

Technical UL/CSA

Tightening Torque	20 N·m
-------------------	--------

Certificates and Declarations

Declaration of Conformity - CE	2CGC0023
--------------------------------	----------

External Classifications and Standards

ETIM 9	EC001040 - Fuse switch disconnecter
ETIM 10	EC001040 - Fuse switch disconnecter
eClass	V11.1 : 27371401
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
E-Number (Finland)	5411227
E-Number (Norway)	1100394
E-Number (Sweden)	0732771

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

