


IP44 applications



Marked items are only suitable for splash-protected IP44 flush-mounted installation when used in conjunction with the corresponding sealing and contact protection box.



Frame with imprint "IP44"

Not for switches/buttons with split rocker!
IP44

- without sealing
- for water-proof covering of rocker switches/rocker push-buttons

SUITABLE FOR	ORDER NO.	PAGE
On/off switch	8 3651 ..	32
Change-over switch	8 3656 ..	33
Intermediate switch	9 3657 ..	34
On/off switch 2pole with imprint "O"	8 3652 25 09	34
Control on/off switch 2pole with imprint "O"	8 3752 ..	35
On/off switch 2pole with imprint "O"	9 3652 ..	34
Control on/off switch 2pole with imprint "O", 12 V	9 3762 25 ..	35
Push-button, NO contact	8 3671 ..	37
Push-button, NO contact, illuminated	9 3772 ..	37
Sealing for IP 44 applications	818 53	56

i 151

DESIGN	ORDER NO.	PU
brown matt	9 1827 25 91	10
anthracite matt	9 1827 25 95	10
grey glossy	9 1827 25 97	10
polar white glossy	9 1827 25 99	10
chrome matt, lacquered	9 1827 25 68	10



Frame with hinged cover and imprint "IP44"

IP44

- without sealing
- for waterproof covering of socket outlets

SUITABLE FOR	ORDER NO.	PAGE
SCHUKO socket outlets with "SNAP IN"		page 14
SCHUKO socket outlet	8 4185 ..	12
SCHUKO socket outlet	8 4195 ..	12
SCHUKO socket outlet	8 477 ..	13
Socket outlet with earthing pin	8 6185 ..	21
Socket outlet with earthing pin	8 6195 ..	21
Socket outlet with earthing pin FRANCE/ BELGIUM	9 6195 ..	21
Sealing for IP 44 applications	818 53	56

i 151

DESIGN	ORDER NO.	PU
anthracite matt	8 1828 25 95	200
grey glossy	8 1828 25 97	200
polar white glossy	8 1828 25 99	200
brown matt	9 1828 25 91	10
anthracite matt	9 1828 25 95	10
grey glossy	9 1828 25 97	10
polar white glossy	9 1828 25 99	10
chrome matt, lacquered	9 1828 25 68	10
red glossy	9 1828 25 86	10
green glossy	9 1828 25 90	10
orange glossy	9 1828 25 94	10




Sealing for IP 44 applications

- for SCHUKO socket outlets and socket outlets with earthing pin (frame with hinged cover IP 44 and contact protection box required!)
- for rocker switch/rocker push-button (frame IP 44 and contact protection box required!)

SUITABLE FOR	ORDER NO.	PAGE
SCHUKO socket outlets		page 12
Socket outlets with earthing pin		page 21
Rocker switches		page 32
Rocker push-buttons		page 37
Frame with hinged cover and imprint "IP44"	8 1828 ..	55
Frame with imprint "IP44"	9 1827 ..	55

DESIGN	ORDER NO.	PU
black	818 53	200
black	918 53	10

Assembly instructions of IP44 covers



Surface-mounted housings



Surface-mounted housing high

Dimensions (W x H x D)

59.5 x 59.5 x 41 mm

- with cable entry
- for mounting on combustible base surface
- to built-on installation of devices

SUITABLE FOR
Wire and duct entry

ORDER NO.
1813 ..

PAGE
46

i 151

DESIGN

ORDER NO.

PU

without strain relief

brown glossy	9 1151 25 01	10
anthracite glossy	9 1151 25 05	10
grey glossy	9 1151 25 07	10
polar white glossy	9 1151 25 09	10
black glossy	9 1151 25 10	10

with strain relief

brown glossy	9 1151 25 11	10
anthracite glossy	9 1151 25 15	10
grey glossy	9 1151 25 17	10
polar white glossy	9 1151 25 19	10
black glossy	9 1151 25 20	10



Surface-mounted housing flat

Dimensions (W x H x D)

59.5 x 59.5 x 16 mm

- for mounting on combustible base surface
- to built-on installation of switches and push-buttons

i 151

DESIGN

ORDER NO.

PU

without strain relief

anthracite glossy	9 1152 25 25	10
polar white glossy	9 1152 25 29	10

with 1 strain relief

polar white glossy	8 1152 25 59	200
--------------------	---------------------	-----

anthracite glossy

9 1152 25 55 10

polar white glossy

9 1152 25 59 10

with 2 Strain reliefs

polar white glossy	8 1152 25 69	200
--------------------	---------------------	-----

anthracite glossy

9 1152 25 65 10

polar white glossy

9 1152 25 69 10



Surface-mounted spacer ring

Dimensions (W x H x D)

59.5 x 59.5 x 10 mm

- for the reduction of the installation depth of the devices and surface-mounting of switches and push-buttons

i 151

DESIGN

ORDER NO.

PU

brown glossy	9 1825 25 11	10
anthracite glossy	9 1825 25 15	10
grey glossy	9 1825 25 06	10
polar white glossy	9 1825 25 12	10
black glossy	9 1825 25 10	10
chrome matt, lacquered	9 1825 25 68	10
stainless steel matt, lacquered	9 1825 25 24	10