



Auxiliary switch, 1 NO+1 NC, accessories for main and emergency switching-off 3LD2 switch floor mounting, installation in distribution boards, molded-plastic encapsulation and for molded case switch 3LD5 UL floor mounting

Model	
product brand name	SETRON
product designation	auxiliary switch
design of the product	accessories for 3LD2 main and EMERGENCY-STOP switches, floor mounting, installation in distribution boards, molded-plastic enclosure
operational current	<div><div>• at AC-15 at 110 V rated value</div><div>• at AC-15 at 230 V rated value</div><div>• at AC-15 at 500 V rated value</div><div>• at DC-13 at 24 V rated value</div></div> <div>6 A</div> <div>3 A</div> <div>1.4 A</div> <div>4 A</div>
suitability for use	for 3LD2 floor mounting, distribution board mounting, in the enclosure, with EMC shield plate and for 3LD5 UL floor mounting
special product feature	NO: lagging during switching ON, leading during switching OFF the 3LD switch. NC: leading during switching ON, lagging during switching OFF the 3LD switch

Accessories	
accessories	auxiliary switch, 1 NO + 1 NC
tightening torque with screw-type terminals	<div>• minimum</div> <div>• maximum</div> <div>0.8 N·m</div> <div>1.2 N·m</div>
type of connectable conductor cross-sections for auxiliary contacts	<div>• solid</div> <div>• finely stranded with core end processing</div> <div>• stranded</div> <div>2x (0.75-2.5 mm²), 1x 4 mm²</div> <div>2x (0.75-2.5 mm²), 1x 4 mm²</div> <div>2x (0.75-2.5 mm²), 1x 4 mm²</div>

Mechanical Design	
Net Weight	25 g

Approvals Certificates	
General Product Approval	



General Product Approval	other	Environment
--------------------------	-------	-------------

[Miscellaneous](#)



[Confirmation](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9200-5C>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3LD9200-5C>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9200-5C

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

4/12/2025 

