

PRODUCT DATASHEET

Tracklight Spot Mini Cylinder GU10 Black

Tracklight Spot Mini Cylinder | Tracklight spot with socket GU10



Areas of application

- Kitchens, living rooms, children's rooms or home offices
- Entrance areas

Product benefits

- Can be rotated and swiveled for optimum illumination
- Timeless elegant design
- Quick and easy lamp replacement
- High-quality materials

Product features

- Customisable modular tracklight system




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	II

Dimensions & Weight

Length	135.00 mm
Width	65.00 mm
Height	93.00 mm
Product weight	150.00 g



PGTRACKLIGHT SPOT
MINICYLINDER
WTGU10MiPRCmnk

Materials & Colors

Product color	Black
Housing color	Black
Body material	Steel
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20...+40 °C
Type of protection	IP20
Dimmable	No
Mounting type	Surface
Application environment	Indoor
With light source	No

Replaceable light source	No
Holder designation	GU10

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No

Additional product data

Number of illuminants	1
-----------------------	---

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

Documents and certificates	Document name
 PDF User instruction / safety instructions	TRACKLIGHT SPOT MINICYLINDER_CYLINDER
 PDF Legal information	Safety insert G11219301
 PDF Declarations of conformity	TRACKLIGHT SPOT
 PDF Declarations of conformity UKCA	Fixed LUM without EMC

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854455421	Folding box 1	82 mm x 82 mm x 163 mm	240.00 g	1.10 dm ³
4099854455438	Shipping box 4	178 mm x 178 mm x 178 mm	960.00 g	5.64 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.