



PRODUCT-DETAILS

3559H-A86445 70W

Flush Mounted Inserts 1-gang Rocker lever 1 rocker 250 V



General Information

Extended Product Type:	3559H-A86445 70W
Product ID:	2CHH598645A6070
Catalog Description:	Flush Mounted Inserts 1-gang Rocker lever 1 rocker 250 V
Long Description:	Push-switch, 1gang 2way
Display Name:	3559H-A86445 70W

Installation

Instructions and Manuals:	No document needed
Mounting Type:	Flush Mounted
Type of Fastening:	Mounting with Claw Mounting with Screw

Environmental

Degree of Protection: IP20

Technical

Data Sheet, Technical Information:	9AKK107991A4554
Number of Rocker Switches:	1
Wiring Configuration:	Two-way switch
Actuator Type:	Rocker lever
Connection Type:	Plug Clamp
Illumination:	Non-illuminated
Battery Weight:	0 g

Electrical

Rated Voltage (U _r):	250 V
Rated Current (I _n):	10 A

Design

Design Range:	Levit
Surface Finishing:	Lacquered Matt
Material:	Thermoplastic Plastic
Label Space Provided:	Without Label Space
Color:	titanium
Number of Gangs:	1-gang

Dimensions

Built-In Depth (t ₂):	17 mm
-----------------------------------	-------

Ordering

Replaced Product ID (OLD):	3559H-A86445 70W
----------------------------	------------------

Material Compliance

RoHS Declaration:	2CHC663079X0201
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration:	2CHC663999X0201
REACH Information:	False - does not contain substances > 0.1 mass percentage

REACH Date:	20251022
Conflict Minerals Reporting Template (CMRT):	9AKK108468A3363
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B:	Business To Business

Certificates and Declarations

Declaration of Conformity - CE:	2CHC663019X9901
EU Data Act Applicability and Compliance:	Not Applicable

External Classifications and Standards

ETIM 9:	EC001590 - Installation switch
ETIM 10:	EC001590 - Installation switch

Categories

Products > Low Voltage Products and Systems > Wiring Accessories - Light Switch Ranges > Flush Mounted Inserts > Electronic Inserts

