

Silent installation contactors **Ex9CHH**



- Silent installation contactors with AC/DC control voltage Ex9CHH
- Meet requirements of IEC/EN 61095 IEC/EN 60947-4-1, IEC/EN 60947-5-1
- Rated current up to 16, 20, 25, 32, 40, 63 A
- Control coil voltage 12, 24, 48, 110, 230 V
- AC/DC control coil voltage
- Rated frequency 50/60 Hz
- 1 up to 4-contact versions
- Hum free (silent)
- Various contact combinations

The Ex9CHH installation contactors are designed for use in household and building modular distribution boards. These contactors are primarily utilized in building automation systems for the switching and control of lighting, heating systems, ventilation, pumps, heat pumps, and other applications. The silent operation of these contactors makes them particularly well-suited for environments where noise reduction is critical, such as offices and residential settings. Additionally, their AC/DC control voltage capabilities meet higher technical demands, ensuring dependable operation in more demanding scenarios.

Optical indicator on the front side indicates status of the contacts and voltage on control coil.

The contactor provides the option to add an auxiliary contact AX-CHH as an accessory.

Type Key

Ex9	CH	16	H	20	24V
Product family	Product	Rated current	Operation	NO+NC main contacts	Rated voltage
Ex9	CH: Installation contactors	16 A 20 A 25 A 32 A 40 A 63 A	H: Hum free (silent) & AC/DC control voltage	10, 01 20, 02, 11 30, 03 40, 04 31, 22	12 V AC/DC 24 V AC/DC 48 V AC/DC 110 V AC/DC 230 V AC/DC

Certification marks



Silent installation contactors **Ex9CHH**

Accessories



Silent
Contactor
Ex9CHH

Auxiliary contacts
AX-CHH11
AX-CHH20
1 unit

Auxiliary contact AX-CHH11
Auxiliary contact AX-CHH20

All accessories are mounted to the Ex9CHH from the right side.

Silent installation contactors Ex9CHH

Silent installation contactors 16 A, width 1MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	1+0	116944	Ex9CH16H 10 230V AC/DC	1/12/120
110 V ACDC	1+0	116945	Ex9CH16H 10 110V AC/DC	1/12/120
48 V AC/DC	1+0	116946	Ex9CH16H 10 48V AC/DC	1/12/120
24 V AC/DC	1+0	116947	Ex9CH16H 10 24V AC/DC	1/12/120
12 V AC/DC	1+0	116948	Ex9CH16H 10 12V AC/DC	1/12/120
230 V AC/DC	0+1	116949	Ex9CH16H 01 230V AC/DC	1/12/120
110 V ACDC	0+1	116950	Ex9CH16H 01 110V AC/DC	1/12/120
48 V AC/DC	0+1	116951	Ex9CH16H 01 48V AC/DC	1/12/120
24 V AC/DC	0+1	116952	Ex9CH16H 01 24V AC/DC	1/12/120
12 V AC/DC	0+1	116953	Ex9CH16H 01 12V AC/DC	1/12/120
230 V AC/DC	2+0	116954	Ex9CH16H 20 230V AC/DC	1/12/120
110 V ACDC	2+0	116955	Ex9CH16H 20 110V AC/DC	1/12/120
48 V AC/DC	2+0	116956	Ex9CH16H 20 48V AC/DC	1/12/120
24 V AC/DC	2+0	116957	Ex9CH16H 20 24V AC/DC	1/12/120
12 V AC/DC	2+0	116958	Ex9CH16H 20 12V AC/DC	1/12/120
230 V AC/DC	0+2	116959	Ex9CH16H 02 230V AC/DC	1/12/120
110 V ACDC	0+2	116960	Ex9CH16H 02 110V AC/DC	1/12/120
48 V AC/DC	0+2	116961	Ex9CH16H 02 48V AC/DC	1/12/120
24 V AC/DC	0+2	116962	Ex9CH16H 02 24V AC/DC	1/12/120
12 V AC/DC	0+2	116963	Ex9CH16H 02 12V AC/DC	1/12/120
230 V AC/DC	1+1	116964	Ex9CH16H 11 230V AC/DC	1/12/120
110 V ACDC	1+1	116965	Ex9CH16H 11 110V AC/DC	1/12/120
48 V AC/DC	1+1	116966	Ex9CH16H 11 48V AC/DC	1/12/120
24 V AC/DC	1+1	116967	Ex9CH16H 11 24V AC/DC	1/12/120
12 V AC/DC	1+1	116968	Ex9CH16H 11 12V AC/DC	1/12/120

Silent installation contactors 16 A, width 2MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	3+0	117044	Ex9CH16H 30 230V AC/DC	1/6/60
110 V ACDC	3+0	117045	Ex9CH16H 30 110V AC/DC	1/6/60
48 V AC/DC	3+0	117046	Ex9CH16H 30 48V AC/DC	1/6/60
24 V AC/DC	3+0	117047	Ex9CH16H 30 24V AC/DC	1/6/60
12 V AC/DC	3+0	117048	Ex9CH16H 30 12V AC/DC	1/6/60
230 V AC/DC	0+3	117049	Ex9CH16H 03 230V AC/DC	1/6/60
110 V ACDC	0+3	117050	Ex9CH16H 03 110V AC/DC	1/6/60
48 V AC/DC	0+3	117051	Ex9CH16H 03 48V AC/DC	1/6/60
24 V AC/DC	0+3	117052	Ex9CH16H 03 24V AC/DC	1/6/60
12 V AC/DC	0+3	117053	Ex9CH16H 03 12V AC/DC	1/6/60
230 V AC/DC	4+0	117054	Ex9CH16H 40 230V AC/DC	1/6/60
110 V ACDC	4+0	117055	Ex9CH16H 40 110V AC/DC	1/6/60
48 V AC/DC	4+0	117056	Ex9CH16H 40 48V AC/DC	1/6/60
24 V AC/DC	4+0	117057	Ex9CH16H 40 24V AC/DC	1/6/60
12 V AC/DC	4+0	117058	Ex9CH16H 40 12V AC/DC	1/6/60
230 V AC/DC	0+4	117059	Ex9CH16H 04 230V AC/DC	1/6/60
110 V ACDC	0+4	117060	Ex9CH16H 04 110V AC/DC	1/6/60
48 V AC/DC	0+4	117061	Ex9CH16H 04 48V AC/DC	1/6/60
24 V AC/DC	0+4	117062	Ex9CH16H 04 24V AC/DC	1/6/60
12 V AC/DC	0+4	117063	Ex9CH16H 04 12V AC/DC	1/6/60
230 V AC/DC	2+2	117064	Ex9CH16H 22 230V AC/DC	1/6/60
110 V ACDC	2+2	117065	Ex9CH16H 22 110V AC/DC	1/6/60
48 V AC/DC	2+2	117066	Ex9CH16H 22 48V AC/DC	1/6/60
24 V AC/DC	2+2	117067	Ex9CH16H 22 24V AC/DC	1/6/60
12 V AC/DC	2+2	117068	Ex9CH16H 22 12V AC/DC	1/6/60
230 V AC/DC	3+1	117069	Ex9CH16H 31 230V AC/DC	1/6/60
110 V ACDC	3+1	117070	Ex9CH16H 31 110V AC/DC	1/6/60
48 V AC/DC	3+1	117071	Ex9CH16H 31 48V AC/DC	1/6/60
24 V AC/DC	3+1	117072	Ex9CH16H 31 24V AC/DC	1/6/60
12 V AC/DC	3+1	117073	Ex9CH16H 31 12V AC/DC	1/6/60

Silent installation contactors **Ex9CHH**

Silent installation contactors 20 A, width 1MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	1+0	116969	Ex9CH20H 10 230V AC/DC	1/12/120
110 V ACDC	1+0	116970	Ex9CH20H 10 110V AC/DC	1/12/120
48 V AC/DC	1+0	116971	Ex9CH20H 10 48V AC/DC	1/12/120
24 V AC/DC	1+0	116972	Ex9CH20H 10 24V AC/DC	1/12/120
12 V AC/DC	1+0	116973	Ex9CH20H 10 12V AC/DC	1/12/120
230 V AC/DC	0+1	116974	Ex9CH20H 01 230V AC/DC	1/12/120
110 V ACDC	0+1	116975	Ex9CH20H 01 110V AC/DC	1/12/120
48 V AC/DC	0+1	116976	Ex9CH20H 01 48V AC/DC	1/12/120
24 V AC/DC	0+1	116977	Ex9CH20H 01 24V AC/DC	1/12/120
12 V AC/DC	0+1	116978	Ex9CH20H 01 12V AC/DC	1/12/120
230 V AC/DC	2+0	116979	Ex9CH20H 20 230V AC/DC	1/12/120
110 V ACDC	2+0	116980	Ex9CH20H 20 110V AC/DC	1/12/120
48 V AC/DC	2+0	116981	Ex9CH20H 20 48V AC/DC	1/12/120
24 V AC/DC	2+0	116982	Ex9CH20H 20 24V AC/DC	1/12/120
12 V AC/DC	2+0	116983	Ex9CH20H 20 12V AC/DC	1/12/120
230 V AC/DC	0+2	116984	Ex9CH20H 02 230V AC/DC	1/12/120
110 V ACDC	0+2	116985	Ex9CH20H 02 110V AC/DC	1/12/120
48 V AC/DC	0+2	116986	Ex9CH20H 02 48V AC/DC	1/12/120
24 V AC/DC	0+2	116987	Ex9CH20H 02 24V AC/DC	1/12/120
12 V AC/DC	0+2	116988	Ex9CH20H 02 12V AC/DC	1/12/120
230 V AC/DC	1+1	116989	Ex9CH20H 11 230V AC/DC	1/12/120
110 V ACDC	1+1	116990	Ex9CH20H 11 110V AC/DC	1/12/120
48 V AC/DC	1+1	116991	Ex9CH20H 11 48V AC/DC	1/12/120
24 V AC/DC	1+1	116992	Ex9CH20H 11 24V AC/DC	1/12/120
12 V AC/DC	1+1	116993	Ex9CH20H 11 12V AC/DC	1/12/120

Silent installation contactors 20 A, width 2MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	3+0	117074	Ex9CH20H 30 230V AC/DC	1/6/60
110 V ACDC	3+0	117075	Ex9CH20H 30 110V AC/DC	1/6/60
48 V AC/DC	3+0	117076	Ex9CH20H 30 48V AC/DC	1/6/60
24 V AC/DC	3+0	117077	Ex9CH20H 30 24V AC/DC	1/6/60
12 V AC/DC	3+0	117078	Ex9CH20H 30 12V AC/DC	1/6/60
230 V AC/DC	0+3	117079	Ex9CH20H 03 230V AC/DC	1/6/60
110 V ACDC	0+3	117080	Ex9CH20H 03 110V AC/DC	1/6/60
48 V AC/DC	0+3	117081	Ex9CH20H 03 48V AC/DC	1/6/60
24 V AC/DC	0+3	117082	Ex9CH20H 03 24V AC/DC	1/6/60
12 V AC/DC	0+3	117083	Ex9CH20H 03 12V AC/DC	1/6/60
230 V AC/DC	4+0	117084	Ex9CH20H 40 230V AC/DC	1/6/60
110 V ACDC	4+0	117085	Ex9CH20H 40 110V AC/DC	1/6/60
48 V AC/DC	4+0	117086	Ex9CH20H 40 48V AC/DC	1/6/60
24 V AC/DC	4+0	117087	Ex9CH20H 40 24V AC/DC	1/6/60
12 V AC/DC	4+0	117088	Ex9CH20H 40 12V AC/DC	1/6/60
230 V AC/DC	0+4	117089	Ex9CH20H 04 230V AC/DC	1/6/60
110 V ACDC	0+4	117090	Ex9CH20H 04 110V AC/DC	1/6/60
48 V AC/DC	0+4	117091	Ex9CH20H 04 48V AC/DC	1/6/60
24 V AC/DC	0+4	117092	Ex9CH20H 04 24V AC/DC	1/6/60
12 V AC/DC	0+4	117093	Ex9CH20H 04 12V AC/DC	1/6/60
230 V AC/DC	2+2	117094	Ex9CH20H 22 230V AC/DC	1/6/60
110 V ACDC	2+2	117095	Ex9CH20H 22 110V AC/DC	1/6/60
48 V AC/DC	2+2	117096	Ex9CH20H 22 48V AC/DC	1/6/60
24 V AC/DC	2+2	117097	Ex9CH20H 22 24V AC/DC	1/6/60
12 V AC/DC	2+2	117098	Ex9CH20H 22 12V AC/DC	1/6/60
230 V AC/DC	3+1	117099	Ex9CH20H 31 230V AC/DC	1/6/60
110 V ACDC	3+1	117100	Ex9CH20H 31 110V AC/DC	1/6/60
48 V AC/DC	3+1	117101	Ex9CH20H 31 48V AC/DC	1/6/60
24 V AC/DC	3+1	117102	Ex9CH20H 31 24V AC/DC	1/6/60
12 V AC/DC	3+1	117103	Ex9CH20H 31 12V AC/DC	1/6/60

Silent installation contactors Ex9CHH

Silent installation contactors 25 A, width 1MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	1+0	116994	Ex9CH25H 10 230V AC/DC	1/12/120
110 V ACDC	1+0	116995	Ex9CH25H 10 110V AC/DC	1/12/120
48 V AC/DC	1+0	116996	Ex9CH25H 10 48V AC/DC	1/12/120
24 V AC/DC	1+0	116997	Ex9CH25H 10 24V AC/DC	1/12/120
12 V AC/DC	1+0	116998	Ex9CH25H 10 12V AC/DC	1/12/120
230 V AC/DC	0+1	116999	Ex9CH25H 01 230V AC/DC	1/12/120
110 V ACDC	0+1	117000	Ex9CH25H 01 110V AC/DC	1/12/120
48 V AC/DC	0+1	117001	Ex9CH25H 01 48V AC/DC	1/12/120
24 V AC/DC	0+1	117002	Ex9CH25H 01 24V AC/DC	1/12/120
12 V AC/DC	0+1	117003	Ex9CH25H 01 12V AC/DC	1/12/120
230 V AC/DC	2+0	117004	Ex9CH25H 20 230V AC/DC	1/12/120
110 V ACDC	2+0	117005	Ex9CH25H 20 110V AC/DC	1/12/120
48 V AC/DC	2+0	117006	Ex9CH25H 20 48V AC/DC	1/12/120
24 V AC/DC	2+0	117007	Ex9CH25H 20 24V AC/DC	1/12/120
12 V AC/DC	2+0	117008	Ex9CH25H 20 12V AC/DC	1/12/120
230 V AC/DC	0+2	117009	Ex9CH25H 02 230V AC/DC	1/12/120
110 V ACDC	0+2	117010	Ex9CH25H 02 110V AC/DC	1/12/120
48 V AC/DC	0+2	117011	Ex9CH25H 02 48V AC/DC	1/12/120
24 V AC/DC	0+2	117012	Ex9CH25H 02 24V AC/DC	1/12/120
12 V AC/DC	0+2	117013	Ex9CH25H 02 12V AC/DC	1/12/120
230 V AC/DC	1+1	117014	Ex9CH25H 11 230V AC/DC	1/12/120
110 V ACDC	1+1	117015	Ex9CH25H 11 110V AC/DC	1/12/120
48 V AC/DC	1+1	117016	Ex9CH25H 11 48V AC/DC	1/12/120
24 V AC/DC	1+1	117017	Ex9CH25H 11 24V AC/DC	1/12/120
12 V AC/DC	1+1	117018	Ex9CH25H 11 12V AC/DC	1/12/120

Silent installation contactors 25 A, width 2MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	3+0	117104	Ex9CH25H 30 230V AC/DC	1/6/60
110 V ACDC	3+0	117105	Ex9CH25H 30 110V AC/DC	1/6/60
48 V AC/DC	3+0	117106	Ex9CH25H 30 48V AC/DC	1/6/60
24 V AC/DC	3+0	117107	Ex9CH25H 30 24V AC/DC	1/6/60
12 V AC/DC	3+0	117108	Ex9CH25H 30 12V AC/DC	1/6/60
230 V AC/DC	0+3	117109	Ex9CH25H 03 230V AC/DC	1/6/60
110 V ACDC	0+3	117110	Ex9CH25H 03 110V AC/DC	1/6/60
48 V AC/DC	0+3	117111	Ex9CH25H 03 48V AC/DC	1/6/60
24 V AC/DC	0+3	117112	Ex9CH25H 03 24V AC/DC	1/6/60
12 V AC/DC	0+3	117113	Ex9CH25H 03 12V AC/DC	1/6/60
230 V AC/DC	4+0	117114	Ex9CH25H 40 230V AC/DC	1/6/60
110 V ACDC	4+0	117115	Ex9CH25H 40 110V AC/DC	1/6/60
48 V AC/DC	4+0	117116	Ex9CH25H 40 48V AC/DC	1/6/60
24 V AC/DC	4+0	117117	Ex9CH25H 40 24V AC/DC	1/6/60
12 V AC/DC	4+0	117118	Ex9CH25H 40 12V AC/DC	1/6/60
230 V AC/DC	0+4	117119	Ex9CH25H 04 230V AC/DC	1/6/60
110 V ACDC	0+4	117120	Ex9CH25H 04 110V AC/DC	1/6/60
48 V AC/DC	0+4	117121	Ex9CH25H 04 48V AC/DC	1/6/60
24 V AC/DC	0+4	117122	Ex9CH25H 04 24V AC/DC	1/6/60
12 V AC/DC	0+4	117123	Ex9CH25H 04 12V AC/DC	1/6/60
230 V AC/DC	2+2	117124	Ex9CH25H 22 230V AC/DC	1/6/60
110 V ACDC	2+2	117125	Ex9CH25H 22 110V AC/DC	1/6/60
48 V AC/DC	2+2	117126	Ex9CH25H 22 48V AC/DC	1/6/60
24 V AC/DC	2+2	117127	Ex9CH25H 22 24V AC/DC	1/6/60
12 V AC/DC	2+2	117128	Ex9CH25H 22 12V AC/DC	1/6/60
230 V AC/DC	3+1	117129	Ex9CH25H 31 230V AC/DC	1/6/60
110 V ACDC	3+1	117130	Ex9CH25H 31 110V AC/DC	1/6/60
48 V AC/DC	3+1	117131	Ex9CH25H 31 48V AC/DC	1/6/60
24 V AC/DC	3+1	117132	Ex9CH25H 31 24V AC/DC	1/6/60
12 V AC/DC	3+1	117133	Ex9CH25H 31 12V AC/DC	1/6/60

Silent installation contactors **Ex9CHH**

Silent installation contactors 32 A, width 1MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	1+0	117019	Ex9CH32H 10 230V AC/DC	1/12/120
110 V ACDC	1+0	117020	Ex9CH32H 10 110V AC/DC	1/12/120
48 V AC/DC	1+0	117021	Ex9CH32H 10 48V AC/DC	1/12/120
24 V AC/DC	1+0	117022	Ex9CH32H 10 24V AC/DC	1/12/120
12 V AC/DC	1+0	117023	Ex9CH32H 10 12V AC/DC	1/12/120
230 V AC/DC	0+1	117024	Ex9CH32H 01 230V AC/DC	1/12/120
110 V ACDC	0+1	117025	Ex9CH32H 01 110V AC/DC	1/12/120
48 V AC/DC	0+1	117026	Ex9CH32H 01 48V AC/DC	1/12/120
24 V AC/DC	0+1	117027	Ex9CH32H 01 24V AC/DC	1/12/120
12 V AC/DC	0+1	117028	Ex9CH32H 01 12V AC/DC	1/12/120
230 V AC/DC	2+0	117029	Ex9CH32H 20 230V AC/DC	1/12/120
110 V ACDC	2+0	117030	Ex9CH32H 20 110V AC/DC	1/12/120
48 V AC/DC	2+0	117031	Ex9CH32H 20 48V AC/DC	1/12/120
24 V AC/DC	2+0	117032	Ex9CH32H 20 24V AC/DC	1/12/120
12 V AC/DC	2+0	117033	Ex9CH32H 20 12V AC/DC	1/12/120
230 V AC/DC	0+2	117034	Ex9CH32H 02 230V AC/DC	1/12/120
110 V ACDC	0+2	117035	Ex9CH32H 02 110V AC/DC	1/12/120
48 V AC/DC	0+2	117036	Ex9CH32H 02 48V AC/DC	1/12/120
24 V AC/DC	0+2	117037	Ex9CH32H 02 24V AC/DC	1/12/120
12 V AC/DC	0+2	117038	Ex9CH32H 02 12V AC/DC	1/12/120
230 V AC/DC	1+1	117039	Ex9CH32H 11 230V AC/DC	1/12/120
110 V ACDC	1+1	117040	Ex9CH32H 11 110V AC/DC	1/12/120
48 V AC/DC	1+1	117041	Ex9CH32H 11 48V AC/DC	1/12/120
24 V AC/DC	1+1	117042	Ex9CH32H 11 24V AC/DC	1/12/120
12 V AC/DC	1+1	117043	Ex9CH32H 11 12V AC/DC	1/12/120

Silent installation contactors 32 A, width 2MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	3+0	117134	Ex9CH32H 30 230V AC/DC	1/6/60
110 V ACDC	3+0	117135	Ex9CH32H 30 110V AC/DC	1/6/60
48 V AC/DC	3+0	117136	Ex9CH32H 30 48V AC/DC	1/6/60
24 V AC/DC	3+0	117137	Ex9CH32H 30 24V AC/DC	1/6/60
12 V AC/DC	3+0	117138	Ex9CH32H 30 12V AC/DC	1/6/60
230 V AC/DC	0+3	117139	Ex9CH32H 03 230V AC/DC	1/6/60
110 V ACDC	0+3	117140	Ex9CH32H 03 110V AC/DC	1/6/60
48 V AC/DC	0+3	117141	Ex9CH32H 03 48V AC/DC	1/6/60
24 V AC/DC	0+3	117142	Ex9CH32H 03 24V AC/DC	1/6/60
12 V AC/DC	0+3	117143	Ex9CH32H 03 12V AC/DC	1/6/60
230 V AC/DC	4+0	117144	Ex9CH32H 40 230V AC/DC	1/6/60
110 V ACDC	4+0	117145	Ex9CH32H 40 110V AC/DC	1/6/60
48 V AC/DC	4+0	117146	Ex9CH32H 40 48V AC/DC	1/6/60
24 V AC/DC	4+0	117147	Ex9CH32H 40 24V AC/DC	1/6/60
12 V AC/DC	4+0	117148	Ex9CH32H 40 12V AC/DC	1/6/60
230 V AC/DC	0+4	117149	Ex9CH32H 04 230V AC/DC	1/6/60
110 V ACDC	0+4	117150	Ex9CH32H 04 110V AC/DC	1/6/60
48 V AC/DC	0+4	117151	Ex9CH32H 04 48V AC/DC	1/6/60
24 V AC/DC	0+4	117152	Ex9CH32H 04 24V AC/DC	1/6/60
12 V AC/DC	0+4	117153	Ex9CH32H 04 12V AC/DC	1/6/60
230 V AC/DC	2+2	117154	Ex9CH32H 22 230V AC/DC	1/6/60
110 V ACDC	2+2	117155	Ex9CH32H 22 110V AC/DC	1/6/60
48 V AC/DC	2+2	117156	Ex9CH32H 22 48V AC/DC	1/6/60
24 V AC/DC	2+2	117157	Ex9CH32H 22 24V AC/DC	1/6/60
12 V AC/DC	2+2	117158	Ex9CH32H 22 12V AC/DC	1/6/60
230 V AC/DC	3+1	117159	Ex9CH32H 31 230V AC/DC	1/6/60
110 V ACDC	3+1	117160	Ex9CH32H 31 110V AC/DC	1/6/60
48 V AC/DC	3+1	117161	Ex9CH32H 31 48V AC/DC	1/6/60
24 V AC/DC	3+1	117162	Ex9CH32H 31 24V AC/DC	1/6/60
12 V AC/DC	3+1	117163	Ex9CH32H 31 12V AC/DC	1/6/60

Silent installation contactors Ex9CHH

Silent installation contactors 40 A, width 2MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	1+0	117164	Ex9CH40H 10 230V AC/DC	1/6/60
110 V ACDC	1+0	117165	Ex9CH40H 10 110V AC/DC	1/6/60
48 V AC/DC	1+0	117166	Ex9CH40H 10 48V AC/DC	1/6/60
24 V AC/DC	1+0	117167	Ex9CH40H 10 24V AC/DC	1/6/60
12 V AC/DC	1+0	117168	Ex9CH40H 10 12V AC/DC	1/6/60
230 V AC/DC	0+1	117169	Ex9CH40H 01 230V AC/DC	1/6/60
110 V ACDC	0+1	117170	Ex9CH40H 01 110V AC/DC	1/6/60
48 V AC/DC	0+1	117171	Ex9CH40H 01 48V AC/DC	1/6/60
24 V AC/DC	0+1	117172	Ex9CH40H 01 24V AC/DC	1/6/60
12 V AC/DC	0+1	117173	Ex9CH40H 01 12V AC/DC	1/6/60
230 V AC/DC	2+0	117174	Ex9CH40H 20 230V AC/DC	1/6/60
110 V ACDC	2+0	117175	Ex9CH40H 20 110V AC/DC	1/6/60
48 V AC/DC	2+0	117176	Ex9CH40H 20 48V AC/DC	1/6/60
24 V AC/DC	2+0	117177	Ex9CH40H 20 24V AC/DC	1/6/60
12 V AC/DC	2+0	117178	Ex9CH40H 20 12V AC/DC	1/6/60
230 V AC/DC	0+2	117179	Ex9CH40H 02 230V AC/DC	1/6/60
110 V ACDC	0+2	117180	Ex9CH40H 02 110V AC/DC	1/6/60
48 V AC/DC	0+2	117181	Ex9CH40H 02 48V AC/DC	1/6/60
24 V AC/DC	0+2	117182	Ex9CH40H 02 24V AC/DC	1/6/60
12 V AC/DC	0+2	117183	Ex9CH40H 02 12V AC/DC	1/6/60
230 V AC/DC	1+1	117184	Ex9CH40H 11 230V AC/DC	1/6/60
110 V ACDC	1+1	117185	Ex9CH40H 11 110V AC/DC	1/6/60
48 V AC/DC	1+1	117186	Ex9CH40H 11 48V AC/DC	1/6/60
24 V AC/DC	1+1	117187	Ex9CH40H 11 24V AC/DC	1/6/60
12 V AC/DC	1+1	117188	Ex9CH40H 11 12V AC/DC	1/6/60

Silent installation contactors 40 A, width 3MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	3+0	117214	Ex9CH40H 30 230V AC/DC	1/4/40
110 V ACDC	3+0	117215	Ex9CH40H 30 110V AC/DC	1/4/40
48 V AC/DC	3+0	117216	Ex9CH40H 30 48V AC/DC	1/4/40
24 V AC/DC	3+0	117217	Ex9CH40H 30 24V AC/DC	1/4/40
12 V AC/DC	3+0	117218	Ex9CH40H 30 12V AC/DC	1/4/40
230 V AC/DC	0+3	117219	Ex9CH40H 03 230V AC/DC	1/4/40
110 V ACDC	0+3	117220	Ex9CH40H 03 110V AC/DC	1/4/40
48 V AC/DC	0+3	117221	Ex9CH40H 03 48V AC/DC	1/4/40
24 V AC/DC	0+3	117222	Ex9CH40H 03 24V AC/DC	1/4/40
12 V AC/DC	0+3	117223	Ex9CH40H 03 12V AC/DC	1/4/40
230 V AC/DC	4+0	117224	Ex9CH40H 40 230V AC/DC	1/4/40
110 V ACDC	4+0	117225	Ex9CH40H 40 110V AC/DC	1/4/40
48 V AC/DC	4+0	117226	Ex9CH40H 40 48V AC/DC	1/4/40
24 V AC/DC	4+0	117227	Ex9CH40H 40 24V AC/DC	1/4/40
12 V AC/DC	4+0	117228	Ex9CH40H 40 12V AC/DC	1/4/40
230 V AC/DC	0+4	117229	Ex9CH40H 04 230V AC/DC	1/4/40
110 V ACDC	0+4	117230	Ex9CH40H 04 110V AC/DC	1/4/40
48 V AC/DC	0+4	117231	Ex9CH40H 04 48V AC/DC	1/4/40
24 V AC/DC	0+4	117232	Ex9CH40H 04 24V AC/DC	1/4/40
12 V AC/DC	0+4	117233	Ex9CH40H 04 12V AC/DC	1/4/40
230 V AC/DC	2+2	117234	Ex9CH40H 22 230V AC/DC	1/4/40
110 V ACDC	2+2	117235	Ex9CH40H 22 110V AC/DC	1/4/40
48 V AC/DC	2+2	117236	Ex9CH40H 22 48V AC/DC	1/4/40
24 V AC/DC	2+2	117237	Ex9CH40H 22 24V AC/DC	1/4/40
12 V AC/DC	2+2	117238	Ex9CH40H 22 12V AC/DC	1/4/40
230 V AC/DC	3+1	117239	Ex9CH40H 31 230V AC/DC	1/4/40
110 V ACDC	3+1	117240	Ex9CH40H 31 110V AC/DC	1/4/40
48 V AC/DC	3+1	117241	Ex9CH40H 31 48V AC/DC	1/4/40
24 V AC/DC	3+1	117242	Ex9CH40H 31 24V AC/DC	1/4/40
12 V AC/DC	3+1	117243	Ex9CH40H 31 12V AC/DC	1/4/40

Silent installation contactors Ex9CHH

Silent installation contactors 63 A, width 2MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	1+0	117189	Ex9CH63H 10 230V AC/DC	1/6/60
110 V ACDC	1+0	117190	Ex9CH63H 10 110V AC/DC	1/6/60
48 V AC/DC	1+0	117191	Ex9CH63H 10 48V AC/DC	1/6/60
24 V AC/DC	1+0	117192	Ex9CH63H 10 24V AC/DC	1/6/60
12 V AC/DC	1+0	117193	Ex9CH63H 10 12V AC/DC	1/6/60
230 V AC/DC	0+1	117194	Ex9CH63H 01 230V AC/DC	1/6/60
110 V ACDC	0+1	117195	Ex9CH63H 01 110V AC/DC	1/6/60
48 V AC/DC	0+1	117196	Ex9CH63H 01 48V AC/DC	1/6/60
24 V AC/DC	0+1	117197	Ex9CH63H 01 24V AC/DC	1/6/60
12 V AC/DC	0+1	117198	Ex9CH63H 01 12V AC/DC	1/6/60
230 V AC/DC	2+0	117199	Ex9CH63H 20 230V AC/DC	1/6/60
110 V ACDC	2+0	117200	Ex9CH63H 20 110V AC/DC	1/6/60
48 V AC/DC	2+0	117201	Ex9CH63H 20 48V AC/DC	1/6/60
24 V AC/DC	2+0	117202	Ex9CH63H 20 24V AC/DC	1/6/60
12 V AC/DC	2+0	117203	Ex9CH63H 20 12V AC/DC	1/6/60
230 V AC/DC	0+2	117204	Ex9CH63H 02 230V AC/DC	1/6/60
110 V ACDC	0+2	117205	Ex9CH63H 02 110V AC/DC	1/6/60
48 V AC/DC	0+2	117206	Ex9CH63H 02 48V AC/DC	1/6/60
24 V AC/DC	0+2	117207	Ex9CH63H 02 24V AC/DC	1/6/60
12 V AC/DC	0+2	117208	Ex9CH63H 02 12V AC/DC	1/6/60
230 V AC/DC	1+1	117209	Ex9CH63H 11 230V AC/DC	1/6/60
110 V ACDC	1+1	117210	Ex9CH63H 11 110V AC/DC	1/6/60
48 V AC/DC	1+1	117211	Ex9CH63H 11 48V AC/DC	1/6/60
24 V AC/DC	1+1	117212	Ex9CH63H 11 24V AC/DC	1/6/60
12 V AC/DC	1+1	117213	Ex9CH63H 11 12V AC/DC	1/6/60

Silent installation contactors 63 A, width 3MU



Control voltage	Contacts NO+NC	Article No.	Type	Packing
230 V AC/DC	3+0	117244	Ex9CH63H 30 230V AC/DC	1/4/40
110 V ACDC	3+0	117245	Ex9CH63H 30 110V AC/DC	1/4/40
48 V AC/DC	3+0	117246	Ex9CH63H 30 48V AC/DC	1/4/40
24 V AC/DC	3+0	117247	Ex9CH63H 30 24V AC/DC	1/4/40
12 V AC/DC	3+0	117248	Ex9CH63H 30 12V AC/DC	1/4/40
230 V AC/DC	0+3	117249	Ex9CH63H 03 230V AC/DC	1/4/40
110 V ACDC	0+3	117250	Ex9CH63H 03 110V AC/DC	1/4/40
48 V AC/DC	0+3	117251	Ex9CH63H 03 48V AC/DC	1/4/40
24 V AC/DC	0+3	117252	Ex9CH63H 03 24V AC/DC	1/4/40
12 V AC/DC	0+3	117253	Ex9CH63H 03 12V AC/DC	1/4/40
230 V AC/DC	4+0	117254	Ex9CH63H 40 230V AC/DC	1/4/40
110 V ACDC	4+0	117255	Ex9CH63H 40 110V AC/DC	1/4/40
48 V AC/DC	4+0	117256	Ex9CH63H 40 48V AC/DC	1/4/40
24 V AC/DC	4+0	117257	Ex9CH63H 40 24V AC/DC	1/4/40
12 V AC/DC	4+0	117258	Ex9CH63H 40 12V AC/DC	1/4/40
230 V AC/DC	0+4	117259	Ex9CH63H 04 230V AC/DC	1/4/40
110 V ACDC	0+4	117260	Ex9CH63H 04 110V AC/DC	1/4/40
48 V AC/DC	0+4	117261	Ex9CH63H 04 48V AC/DC	1/4/40
24 V AC/DC	0+4	117262	Ex9CH63H 04 24V AC/DC	1/4/40
12 V AC/DC	0+4	117263	Ex9CH63H 04 12V AC/DC	1/4/40
230 V AC/DC	2+2	117264	Ex9CH63H 22 230V AC/DC	1/4/40
110 V ACDC	2+2	117265	Ex9CH63H 22 110V AC/DC	1/4/40
48 V AC/DC	2+2	117266	Ex9CH63H 22 48V AC/DC	1/4/40
24 V AC/DC	2+2	117267	Ex9CH63H 22 24V AC/DC	1/4/40
12 V AC/DC	2+2	117268	Ex9CH63H 22 12V AC/DC	1/4/40
230 V AC/DC	3+1	117269	Ex9CH63H 31 230V AC/DC	1/4/40
110 V ACDC	3+1	117270	Ex9CH63H 31 110V AC/DC	1/4/40
48 V AC/DC	3+1	117271	Ex9CH63H 31 48V AC/DC	1/4/40
24 V AC/DC	3+1	117272	Ex9CH63H 31 24V AC/DC	1/4/40
12 V AC/DC	3+1	117273	Ex9CH63H 31 12V AC/DC	1/4/40

Silent installation contactors **Ex9CHH**

Distance block between Ex9CH devices, width 0.5MU



Description	Article No.	Type
Distance block/separator	107956	Ex9CH20 SP

Technical Data **Ex9CHH**

Silent installation contactors with AC/DC control voltage

General parameters	
AC/DC coil control voltage	
Indication window help users to know the status of device	
Silent and hum free operation	

Electrical parameters		16A	20A	25A	32A	40A	63A
Tested according to		IEC/EN 61095, IEC/EN 60947-4-1, IEC/EN 60947-5-1					
Rated operational voltage U_e		250 (2P), 400 (4P) V					
Rated control power voltage U_s		12, 24, 48, 110, 230V AC/DC (85%-110%)					
Rated insulation voltage U_i		500 V					
Rated impulse withstand voltage U_{imp}		4 kV					
Rated conventional thermal current I_{th}		32 A	32 A	32 A	32 A	63 A	63 A
Rated current I_n							
	AC-7a	16 A	20 A	25 A	32 A	40 A	63 A
	AC-7b	6 A	7 A	9 A	12 A	18 A	25 A
Controlled power							
AC-7a	250 V	3.5 kW	4.5 kW	5.5 kW	8 kW	9 kW	14 kW
	400 V	6 kW	7.5 kW	9.5 kW	12 kW	15 kW	24 kW
AC-7b	250 V	1.4 kW	1.6 kW	2 kW	3 kW	4 kW	5.5 kW
	400 V	2.2 kW	2.5 kW	3.2 kW	4.5 kW	6 kW	8 kW
Electrical service life		100 000 operating cycles					
Number of main contacts							
	2P	1NO, 1NC, 1NO+1NC, 2NO, 2NC					
	4P	3NO, 3NC, 2NO+2NC, 3NO+1NC, 4NO, 4NC					
Rated duty system							
	Intermittent	30 times/h load factor 40%					
	Eight hours	basic duty system					




Mechanical parameters							
		16A	20A	25A	32A	40A	63A
Frame size		45 mm					
Width (2P / 4P)		18 / 36 mm				36 / 54 mm	
Mounting		easy fastening onto 35 mm device rail (DIN)					
Degree of protection		IP20					
Terminals		M3.5 screws			M5 screws		
Control coil terminal		M3.5 screws					
Wiring							
Control circuit	Hard wire	1.5 — 2.5 mm ² / 2×1.5 mm ²					
	Flexible wire	1.5 — 2.5 mm ² / 2×2.5 mm ²					
Power circuit	Hard wire	1.5 — 6 mm ²				6 — 25 mm ²	
	Flexible wire	1 — 4 mm ²				6 — 16 mm ²	
Fastening torque	Control circuit	0.8 Nm					
	Power circuit	0.8 Nm				3.5 Nm	
Mechanical service life		1 000 000 operating cycles					
Pollution degree		2					
Installation class		II					
Weight		0.130 kg (2P), 0.240 kg (4P)				0.270 kg (2P), 0.390 kg (4P)	
Ambient temperature		-5 — +40 °C					

Technical Data **Ex9CHH**




Silent installation contactors with AC/DC control voltage

Dimensions

Ex9CH16H
Ex9CH20H
Ex9CH25H
Ex9CH32H



Ex9CH40H
Ex9CH63H



Wiring diagrams

