PRODUCT-DETAILS

# 6620T-A07995 237

## Socket Outlets Degree of protection (IP) black - Zoni




### General Information

| | |
|---|---|
| **Extended Product Type:** | 6620T-A07995 237 |
| **Product ID:** | 2CHT207995A6237 |
| **EAN:** | 8592624453703 |
| **Catalog Description:** | Socket Outlets Degree of protection (IP) black - Zoni |
| **Long Description:** | ABB socket outlet, Black - Zoni series. Suitable for residential and commercial electrical installations, offering reliable connection and contemporary design. |
| **Display Name:** | 6620T-A07995 237 |

### Installation

| | |
|---|---|
| **Instructions and Manuals:** | No document needed |
| **Mounting Type:** | Flush mounted (plaster) |
| **Type of Fastening:** | Mounting with Claw<br>Mounting with Screw |

© 2026 ABB. All rights reserved.

## Environmental

| | |
|---|---|
| **Degree of Protection:** | IP44 |

## Technical

| | |
|---|---|
| **Number of Phases:** | 1-phase |
| **Connection Type:** | Push-In |
| **Socket Outlet Type:** | Protective Contact (SCHUKO) |
| **Options Available:** | "basic" |

## Electrical

| | |
|---|---|
| **Short-Circuit Current Rating (SCCR) UL/CSA:** | 0 A<br>0 kA |
| **Rated Voltage ($U_r$):** | 250 V |
| **Rated Current ($I_n$):** | 16 A |
| **Frequency (f):** | 50 ... 50 Hz |
| **Rated Frequency (f):** | 50 Hz |

## Design

| | |
|---|---|
| **Design Range:** | Zoni |
| **Surface Finishing:** | Lacquered<br>Matt |
| **Material:** | Plastic<br>Thermoplastic |
| **Legend:** | Degree of protection (IP) |
| **Label Space Provided:** | Without Label Space |
| **Color:** | black |
| **Number of Gangs:** | 1-gang |

## Dimensions

| | |
|---|---|
| **Product Net Width:** | 73.8 mm |
| **Product Net Height:** | 47.95 mm |
| **Product Net Depth / Length:** | 73.8 mm |
| **Product Net Weight:** | 101.54 g |
| **Built-In Depth ($t_2$):** | 29.05 mm |

## Ordering

| | |
|---|---|
| **Replaced Product ID (OLD):** | 2CHT207995A6237 |

© 2026 ABB. All rights reserved. 

## Circular Value

| | |
|---|---|
| **Recyclability Rate of the Product acc. to EN45555:** | Design for Closing Resource Loops - Standard EN45555 - 55.5 % |
| **ABB Site Meeting Group Waste To Landfill Target:** | No non-hazardous waste is sent to a landfill |
| **Environmental Product Declaration - EPD:** | 9AKK108469A5428 |

## Material Compliance

| | |
|---|---|
| **RoHS Information:** | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| **REACH Declaration:** | 2CHC663998X0201 |
| **REACH Information:** | False - does not contain substances > 0.1 mass percentage |
| **REACH Date:** | 20251022 |
| **Conflict Minerals Reporting Template (CMRT):** | 9AKK108468A3363 |
| **WEEE Category:** | 5. Small Equipment (No External Dimension More Than 50 cm) |
| **WEEE B2C / B2B:** | Business To Consumer |

## Certificates and Declarations

| | |
|---|---|
| **EU Data Act Applicability and Compliance:** | Not Applicable |

## External Classifications and Standards

| | |
|---|---|
| **ETIM 9:** | EC000125 - Socket outlet |
| **ETIM 10:** | EC000125 - Socket outlet |
| **eClass:** | V11.0 : 27144042 |

## Categories

Products > Low Voltage Products and Systems > Wiring Accessories - Light Switch Ranges > Cover Plates and Control Elements > Socket Outlets

© 2026 ABB. All rights reserved.








ABB
Eco
Solutions™

© 2026 ABB. All rights reserved.