



Accessories and spare parts

| Article no. | EAN no. | Name | Description | Image |
|-------------|---------------|--|---|--|
| 088L1053 | 5703466214602 | ECfast 5 m Metal In box | |  |
| 088L1054 | 5703466214619 | ECfast 25 m Metal In box | | |
| 088L0028 | 5703466161463 | Danfoss Continuity tester - Little Buzzer - Continuity Alarm | <p>Simplify your installation process by using the Continuity Tester. The Continuity Tester is designed to monitor heating mats and/or cables during installation process and sounds an alarm if the heating element is cut or damaged. This allows an easy repair before the floor covering is laid. The device is battery powered with a set of batteries included.</p> <p>Note: A continuity alarm does not replace that need for measuring and verifying the ohm and insulation resistances three times throughout the installation for warranty purposes.</p> |  |
| 088L3002 | 5703466175279 | Spaceclip for self-limiting cables | 300 x 5 x 70 mm |  |
| 088L3001 | 5703466239285 | RX-C Roof Clip (50 pcs in bag) | |  |
| 088L0409 | 5703466130216 | Tape aluminium 38 mm x 50 m | <p>Self-adhesive, with 2-colour warning label</p> <p>Backing Aluminium foil</p> <p>Adhesive Waterbased Acrylic</p> <p>Liner Monosiliconized Paper</p> <p>Adhesion/Steel 8 N/ 38 mm</p> <p>Tensile strength 57,5 N/ 25 mm</p> <p>Total thickness 60 µm</p> |  |
| 088L1006 | 5703466148655 | 3/4" + 1" Pipe fitting for ECpipeheat 10 (SLPH-10) | <p>With rubber conic sliced sleeve, oval hole.</p> <p>Max. water pressure – 10 Bar at max. water temperature 23 °C</p> |  |
| 19805372 | 5703466237984 | <p>3/4" + 1" Pipe fitting for blue ECaqua™ 9T</p>  | <p>With rubber conic sleeve, round hole.</p> <p>Max. water pressure – 10 Bar at max. water temperature 23 °C.</p> <p>Approved for use in contact with drinking water up to 23 °C (Danish GDV certificate)</p> | |

| Article no. | EAN no. | Name | Description | Image |
|-------------|---------------|--|-------------|---|
| 19806401 | 5703466071830 | Danfoss crimp for ECpipeheat 10, Connection box | |  |
| 19806415 | 5703466074985 | Danfoss crimp for ECpipeheat 10, Connection cable | |  |

| Article no. | EAN no. | Name | Description | Image |
|-------------|---------------|---|-------------------|-------|
| 088L0413 | 5703466130247 | Connecto B-A Connection | 130 x 265 x 75 mm | |
| 088L0414 | 5703466130254 | Connecto B-C Heating tape connection | 130 x 265 x 75 mm | |
| 088L0415 | 5703466130261 | Connecto B-E End termination | 130 x 265 x 75 mm | |
| 088L0494 | 5703466228067 | Connecto B-E 5 pcs in plastic bag | 300 x 200 x 30 mm | |
| 088L0416 | 5703466130278 | Connecto B-S Connection termination | 130 x 265 x 75 mm | |
| 088L0417 | 5703466130285 | Connecto B-T Y-junction+end terminat. | 130 x 265 x 75 mm | |
| 088L0418 | 5703466130292 | Connecto B-TE2 Y-junction+2 end terminat | 130 x 265 x 75 mm | |
| 088L0419 | 5703466130308 | Connecto B-TE3 Y-junction+3 end terminat | 130 x 265 x 75 mm | |
| 088L0420 | 5703466130315 | Connecto B-X X-junction+2 end terminat | 130 x 265 x 75 mm | |