



TOODE

JAOTUSKILP

SEERIA

CSJ

OTSTARBE

ELEKTRIENERGIA JAOTAMINE HOONESISESTES
ELEKTRIPAIGALDISTES

MÕÕDUD

Kilbi kesta tüüp	Laius, mm (A)	Kõrgus, mm (B)	Sügavus, mm (C)
CSJ 12.12	350	255	110
CSJ 18.18	450	255	110
CSJ 12.24	350	450	110
CSJ 12.36	350	705	140
CSJ 18.36	450	450	140
CSJ 24.48	550	550	140
CSJ 18.54	450	705	140
CSJ 18.72	450	870	140
CSJ 24.72	550	705	140
CSJ 24.96	550	870	140
CSJ 24.120	550	1035	140
CSJ 24.144	550	1200	140
CSJ 33.165	700	1035	140
CSJ 36.216	750	1200	140

KILBITÜÜBI ESIMENE NUMBER TÄHISTAB MOODULITE ARVU ÜHES REAS NING TEINE
MAKSIMAALSET MOODULITE ARVU



PAIGALDAMISE TÜÜP

KINNITUSE TÜÜP

KORPUSE MATERJAL

VIIMISTLUS

VÄRVI TOON

IP KAITSEASTE

IK KAITSEASTE

VASTAVUS STANDARDITELE

PINNAPEALNE

POLDID/KRUVID/TÜÜBLID

KUUMTSINGITUD TERAS DX51D+Z VASTAVALT
STANDARDILE EN10346:2015, PAKSUSEGA 1.0MM,
OSADE KINNITAMISEKS ON KASUTATUD
TÕMBENEEDID JA KRUVID

PULBERVÄRV

RAL 7035/9010/9005


IP44

IK10

EN 62208


EN 62262

EN 60529



NAME		SIGNATURE	DATE	 	TITLE:	
DRAWN	A. K.		01.09.2021		DWG NO.	
				MATERIAL:	CSJ jaotuskilp	
				WEIGHT:	SHEET 1 OF 2	





NAME		SIGNATURE	DATE	 		TITLE:	
DRWN	A. K.		01.09.2021			DWG NO.	
				MATERIAL:		CSJ jaotuskilp	
				WEIGHT:		SHEET 2 OF 2	

