

PRODUCT-DETAILS

E 9F10 GG16

E 9F10 GG16 Fuse link



General Information

Extended Product Type	E 9F10 GG16
Product ID	2CSM277543R1801
EAN	8012542775430
Catalog Description	E 9F10 GG16 Fuse link
Long Description	E 9F10 GG16 is a 10,3x38 mm cylindrical fuse for circuit protection

Technical

Standards	IEC 60269-2
Rated Voltage (U_r)	500 V
Rated Current (I_n)	16 A
Maximum Breaking Capacity	120 kA
Power Loss	at Rated Operating Conditions per Pole 1.9 W
Fuse Type	gG
Release Type	gG: Used in general protection of cables and lines in installation and industrial applications
Construction Material	Ceramic
Fuse Size	10x38
Contact Material	copper silver plated (Cu/Ag)

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Environmental
Information

See RoHS Information

Dimensions

Product Net Width	0.001 m
Product Net Height	0.004 m
Product Net Depth / Length	0.001 m
Product Net Weight	0.007 kg
Dimensions	10,3x38 mm

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.052 m
Package Level 1 Height	0.021 m
Package Level 1 Depth / Length	0.038 m
Package Level 1 Gross Weight	0.075 kg
Package Level 1 EAN	8012542775430
Package Level 2 Units	box 10 piece
Package Level 2 Width	52 mm
Package Level 2 Height	21 mm
Package Level 2 Depth / Length	38 mm
Package Level 2 Gross Weight	75 g
Package Level 2 EAN	8012542775430

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85361010
Country of Origin	France (FR)

Certificates and Declarations (Document Number)

Cut-off Current Characteristic	9AKK108466A9066
Declaration of Conformity - CE	9AKK106713A5625
Environmental Information	See RoHS Information
I ² t Characteristic	9AKK108466A9086
Instructions and Manuals	No document needed
RoHS Information	9AKK106713A5625
Time-Current Characteristic Curve	9AKK108467A0143

Popular Downloads

Data Sheet, Technical Information	9AKK107991A8329
Instructions and Manuals	No document needed

Cut-off Current Characteristic	9AKK108466A9066
Dimension Diagram	9AKK108466A8532
I²t Characteristic	9AKK108466A9086
Time-Current Characteristic Curve	9AKK108467A0143

Classifications

ETIM 7	EC002704 - Cylindrical fuse
ETIM 8	EC002704 - Cylindrical fuse
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85361010
eClass	V11.0 : 27142002
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety Devices → Cylindrical and D0 Fuses

