


PRODUCT-DETAILS

1812

1812 Mounting plate socket Flush-mounted installation boxes and inserts Red



General Information

Extended Product Type	1812
Product ID	2CKA001753A8055
EAN	4011395743805
Catalog Description	1812 Mounting plate socket Flush-mounted installation boxes and inserts Red
Long Description	For 2 modular jack inserts. Suitable for Art. Nos. 0210, 0211 and 0219-101. For systems: AMP / tyco Electronics, BTR, EFB, Krone, Panduit, Quante, Radiall, Setec, Dr.-Ing. Sieger, Telena, Thomas & Betts For Telegärtner AMJ/UMJ connection modules/couplings. For 2 fiber optic modules of the following types: 3M-Volition, Krone, mvk. Pitch dimensions: (WxH) approx. 14.8 x 19.4 mm. Without claws.

Technical

Application	Modular Jack
Suitable For	2CKA000225A0078 2CKA001710A1696 2CKA001710A3158 2CKA001710A3194 2CKA001710A3176 2CKA001710A2645 2CKA001710A2710 2CKA000225A0086 2CKA001710A1704 2CKA001710A1712 2CKA001710A3230 2CKA001710A3370 2CKA001710A3212 2CKA001710A3344 2CKA001710A3396

	2CKA001710A3318
	2CKA001710A3248
	2CKA001710A3449
	2CKA001753A9210
	2CKA001753A8121
	2CKA001753A8030
	2CKA001753A8667
	2CKA001753A8691
	2CKA001753A9186
	2CKA001753A9178
	2CKA001753A8022
Product Range	Flush-mounted installation boxes and inserts
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Screw
Type of Indicator	Without indication field
Outlet Orientation	Straight
Surface Finishing	Surface protection: Untreated Surface finishing: Matt
Material	Material quality: Thermoplastic Material: Plastic
Color	Red
Battery Weight	0 g

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions

Product Net Width	71 mm
Product Net Height	32 mm
Product Net Depth / Length	71 mm
Product Net Weight	22.9 g
Built-In Depth (t ₂)	40 mm

Container Information

Package Level 1 Units	carton 10 piece
Package Level 1 Width	97 mm
Package Level 1 Height	77 mm
Package Level 1 Depth / Length	186 mm
Package Level 1 Gross Weight	0.282 kg
Package Level 1 EAN	4011395743805
Package Level 2 Units	100 piece
Package Level 2 Width	198 mm
Package Level 2 Height	211 mm
Package Level 2 Depth / Length	393 mm
Package Level 2 Gross Weight	3.08 kg
Package Level 3 Units	4800 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	0.994 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross	167.84 kg

Weight

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
E-Number (Finland)	7204083
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E2410
Instructions and Manuals	No document needed
REACH Declaration	2CKA309999E9999
RoHS Information	9AKK104295D8727

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	No document needed

Classifications

ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope
CN8	8538 90 99
eClass	V11.0 : 27144049

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - ABB Nordics → Design Calle → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-art linear → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → RJ45 Connector Inserts

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector Inserts

