

PRODUCT-DETAILS

JMKL32HF

JMKL32HF Conduit bend, HF



General Information

Extended Product Type	JMKL32HF
Product ID	2TKA00004494
EAN	6438199008301
Catalog Description	JMKL32HF Conduit bend, HF
Long Description	Halogen free (HF) conduit bend comes with locking glue and is used when the conduit is difficult to bend. The bend is 90°. 750N

Technical

Number of Batteries	0
---------------------	---

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Dimensions

Product Net Width	0.036 m
Product Net Height	0.172 m
Product Net Depth / Length	0.036 m
Product Net Weight	0.0677 kg

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.29 m
Package Level 1 Height	0.38 m
Package Level 1 Depth / Length	0.066 m
Package Level 1 Gross Weight	0.68 kg
Package Level 1 EAN	6438199008301
Package Level 2 Units	crate 100 piece
Package Level 2 Width	0.378 m
Package Level 2 Height	0.288 m
Package Level 2 Depth / Length	0.609 m
Package Level 2 Gross Weight	7.3 kg
Package Level 3 Units	pallet (lift) 1200 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.1 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	107.8 kg

Ordering

Minimum Order Quantity	100 piece
Customs Tariff Number	39172310
E-Number (Finland)	1111006
E-Number (Sweden)	1400893
Country of Origin	Finland (FI)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A4627
Instructions and Manuals	No document needed
RoHS Information	9AKK106713A4634

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	No document needed

Classifications

ETIM 7	EC000936 - Bend for installation tubes
ETIM 8	EC000936 - Bend for installation tubes
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Business
CN8	39172310

Categories

Low Voltage Products and Systems → Installation Materials → Conduits & Accessories → Accessories for Plastic Conduits → Conduit Bends

