

# H07V2-K (VOBs 90°C) Eca 450/750V

## Contact

Sales  
Phone: 02 363 27 17  
sales.equipment-cables@nexans.com

The cable is intended to be used for inside couplings in switch cabinet boxes and similar applications.

## DESCRIPTION


H07V2-K is a lead free, PVC insulated, connecting cable with one circular, multi stranded copper conductor. The cable is designed according to EN 50525-2-31. The conductor has resistance according to EN 60228 class 5. The insulation is marked "NEXANS GS H07V2-K 0,75 SEMKO (HAR) E". H07V2-K meets the requirements for CPR class E.

## Certification

Certified by INTERTEK SEMKO.

## Quality system

Certified according to ISO 9001, IRIS, ISO/TS 16949 and ISO 14001.



## STANDARDS

International EN 50525-2-31



Halogen free  
No



Conductor flexibility  
Class 5



Rated Voltage U<sub>0</sub>/U (Um)  
450 / 750 V



Operating temp.  
0 - 90 °C

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 12/21/22 [www.nexans.be](http://www.nexans.be) Page 1 / 10

# H07V2-K (VOBs 90°C) Eca 450/750V

## Contact

Sales  
Phone: 02 363 27 17  
sales.equipment-cables@nexans.com

## CHARACTERISTICS

### Construction characteristics

Conductor material	Bare copper
Insulation	PVC
Halogen free	No
Conductor flexibility	Class 5
Conductor shape	Circular

### Electrical characteristics

Rated Voltage U <sub>o</sub> /U (Um)	450 / 750 V
--------------------------------------	-------------

### Usage characteristics

Operating temperature, range	0 - 90 °C
------------------------------	-----------

# H07V2-K (VOBs 90°C) Eca 450/750V

Contact  
Sales  
Phone: 02 363 27 17  
sales.equipment-cables@nexans.com

## PRODUCT LIST

Nexans Ref.	Country Ref.	Name	Colour	Conductor cross-section [mm²]	Approximate weight [kg/km]
📦 11183441-003-02	0384433	H07V2-K 2,5 (RK 90°C) 450/750V	Red	2.5	32
☎ 11183412-008-35	-	H07V2-K 2,5 (RK 90°C) 450/750V	Brown	2.5	32
☎ 11183412-122-35	-	H07V2-K 2,5 (RK 90°C) 450/750V	Dark blue	2.5	32
☎ 11183512-122-06	-	H07V2-K 4 (RK 90°C) 450/750V	Dark blue	4	45
☎ 11183612-008-31	-	H07V2-K 6 (RK 90°C) 450/750V	Brown	6	65
☎ 11183612-022-31	-	H07V2-K 6 (RK 90°C) 450/750V	Yellow / green	6	65
☎ 11183612-122-31	-	H07V2-K 6 (RK 90°C) 450/750V	Dark blue	6	65
☎ 11183712-001-28	-	H07V2-K 10 (RK 90°C) 450/750V	Black	10	110
☎ 11183312-011-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	Violet	1.5	20
☎ 11183312-001-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	Black	1.5	20
☎ 11183312-070-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	Grey	1.5	20
☎ 11183312-008-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	Brown	1.5	20
☎ 11183312-022-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	Yellow / green	1.5	20
☎ 11183312-004-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	Blue	1.5	20
☎ 11183312-003-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	Red	1.5	20
☎ 11183312-010-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	Orange	1.5	20
📦 11183346-004-21	0384373	H07V2-K 1,5 (RK 90°C) 450/750V	Blue	1.5	20
📦 11183441-122-02	0384463	H07V2-K 2,5 (RK 90°C) 450/750V	Dark blue	2.5	32
☎ 11183412-070-35	-	H07V2-K 2,5 (RK 90°C) 450/750V	Grey	2.5	32
📦 11183441-011-02	0384773	H07V2-K 2,5 (RK 90°C) 450/750V	Violet	2.5	32
📦 11183441-070-02	0384443	H07V2-K 2,5 (RK 90°C) 450/750V	Grey	2.5	32
📦 11183441-008-02	0384483	H07V2-K 2,5 (RK 90°C) 450/750V	Brown	2.5	32

☎ = Make to order, 📦 = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 12/21/22 www.nexans.be Page 3 / 10



# H07V2-K (VOBs 90°C) Eca 450/750V

Contact  
Sales  
Phone: 02 363 27 17  
sales.equipment-cables@nexans.com

Nexans Ref.	Country Ref.	Name	Colour	Conductor cross-section [mm²]	Approximate weight [kg/km]
🏠 11183441-022-02	0384493	H07V2-K 2,5 (RK 90°C) 450/750V	Yellow / green	2.5	32
☎ 11183312-002-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	White	1.5	20
🏠 11183346-001-21	0384323	H07V2-K 1,5 (RK 90°C) 450/750V	Black	1.5	20
🏠 11183346-003-21	0384333	H07V2-K 1,5 (RK 90°C) 450/750V	Red	1.5	20
🏠 11183346-008-21	0384383	H07V2-K 1,5 (RK 90°C) 450/750V	Brown	1.5	20
🏠 11183346-010-21	0384303	H07V2-K 1,5 (RK 90°C) 450/750V	Orange	1.5	20
🏠 11183346-011-21	0384743	H07V2-K 1,5 (RK 90°C) 450/750V	Violet	1.5	20
🏠 11183346-022-21	0384393	H07V2-K 1,5 (RK 90°C) 450/750V	Yellow / green	1.5	20
🏠 11183346-070-21	0384343	H07V2-K 1,5 (RK 90°C) 450/750V	Grey	1.5	20
🏠 11183346-122-21	0384363	H07V2-K 1,5 (RK 90°C) 450/750V	Dark blue	1.5	20
🏠 11183346-152-21	0384753	H07V2-K 1,5 (RK 90°C) 450/750V	Light blue	1.5	20
🏠 11183346-002-21	0384313	H07V2-K 1,5 (RK 90°C) 450/750V	White	1.5	20
🏠 11183441-002-02	0384413	H07V2-K 2,5 (RK 90°C) 450/750V	White	2.5	32
☎ 11183412-002-35	-	H07V2-K 2,5 (RK 90°C) 450/750V	White	2.5	32
🏠 11183441-001-02	0384423	H07V2-K 2,5 (RK 90°C) 450/750V	Black	2.5	32
☎ 11183412-004-35	-	H07V2-K 2,5 (RK 90°C) 450/750V	Blue	2.5	32
☎ 11183412-011-35	-	H07V2-K 2,5 (RK 90°C) 450/750V	Violet	2.5	32
☎ 11183412-003-35	-	H07V2-K 2,5 (RK 90°C) 450/750V	Red	2.5	32
☎ 11183412-001-35	-	H07V2-K 2,5 (RK 90°C) 450/750V	Black	2.5	32
☎ 11183412-022-35	-	H07V2-K 2,5 (RK 90°C) 450/750V	Yellow / green	2.5	32
🏠 11183441-004-02	0384473	H07V2-K 2,5 (RK 90°C) 450/750V	Blue	2.5	32
☎ 11184031-004-01	-	H07V2-K 35 (RK 90°C) 450/750V	Blue	35	350
🏠 11184031-001-01	-	H07V2-K 35 (RK 90°C) 450/750V	Black	35	350

☎ = Make to order, 🏠 = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 12/21/22 www.nexans.be Page 4 / 10



# H07V2-K (VOBs 90°C) Eca 450/750V

Contact  
Sales  
Phone: 02 363 27 17  
sales.equipment-cables@nexans.com

Nexans Ref.	Country Ref.	Name	Colour	Conductor cross-section [mm <sup>2</sup> ]	Approximate weight [kg/km]
☐ 11183931-004-01 -		H07V2-K 25 (RK 90°C) 450/750V	Blue	25	260
☎ 11183841-008-02 0389333		H07V2-K 16 (RK 90°C) 450/750V	Brown	16	170
☐ 11183841-022-02 0389343		H07V2-K 16 (RK 90°C) 450/750V	Yellow / green	16	170
☐ 11183841-004-02 0389323		H07V2-K 16 (RK 90°C) 450/750V	Blue	16	170
☐ 11183841-152-02 -		H07V2-K 16 (RK 90°C) 450/750V	Light blue	16	170
☐ 11183841-001-02 0389303		H07V2-K 16 (RK 90°C) 450/750V	Black	16	170
☎ 11183741-152-02 -		H07V2-K 10 (RK 90°C) 450/750V	Light blue	10	110
☎ 11183741-003-02 -		H07V2-K 10 (RK 90°C) 450/750V	Red	10	110
☎ 11183741-008-02 0389233		H07V2-K 10 (RK 90°C) 450/750V	Brown	10	110
☐ 11183741-004-02 0389223		H07V2-K 10 (RK 90°C) 450/750V	Blue	10	110
☐ 11183741-001-02 0389203		H07V2-K 10 (RK 90°C) 450/750V	Black	10	110
☐ 11183741-022-02 0389243		H07V2-K 10 (RK 90°C) 450/750V	Yellow / green	10	110
☎ 11183612-152-31 -		H07V2-K 6 (RK 90°C) 450/750V	Light blue	6	65
☎ 11183641-070-02 0389153		H07V2-K 6 (RK 90°C) 450/750V	Grey	6	65
☐ 11183641-004-02 0389123		H07V2-K 6 (RK 90°C) 450/750V	Blue	6	65
☐ 11183641-003-02 -		H07V2-K 6 (RK 90°C) 450/750V	Red	6	65
☐ 11183641-002-02 0389113		H07V2-K 6 (RK 90°C) 450/750V	White	6	65
☐ 11183641-001-02 0389103		H07V2-K 6 (RK 90°C) 450/750V	Black	6	65
☎ 11183612-002-31 -		H07V2-K 6 (RK 90°C) 450/750V	White	6	65
☎ 11183612-003-31 -		H07V2-K 6 (RK 90°C) 450/750V	Red	6	65
☎ 11183612-001-31 -		H07V2-K 6 (RK 90°C) 450/750V	Black	6	65
☎ 11183641-011-02 -		H07V2-K 6 (RK 90°C) 450/750V	Violet	6	65
☐ 11183641-008-02 0389133		H07V2-K 6 (RK 90°C) 450/750V	Brown	6	65

☎ = Make to order, ☐ = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 12/21/22 www.nexans.be Page 5 / 10



# H07V2-K (VOBs 90°C) Eca 450/750V

## Contact

Sales  
Phone: 02 363 27 17  
sales.equipment-cables@nexans.com

Nexans Ref.	Country Ref.	Name	Colour	Conductor cross-section [mm <sup>2</sup> ]	Approximate weight [kg/km]
☰ 11183641-152-02	0389173	H07V2-K 6 (RK 90°C) 450/750V	Light blue	6	65
☰ 11183641-022-02	0389143	H07V2-K 6 (RK 90°C) 450/750V	Yellow / green	6	65
☎ 11183512-002-06	-	H07V2-K 4 (RK 90°C) 450/750V	White	4	45
☎ 11183512-003-06	-	H07V2-K 4 (RK 90°C) 450/750V	Red	4	45
☰ 11183541-002-02	-	H07V2-K 4 (RK 90°C) 450/750V	White	4	45
☎ 11183512-008-06	-	H07V2-K 4 (RK 90°C) 450/750V	Brown	4	45
☰ 11183541-001-02	-	H07V2-K 4 (RK 90°C) 450/750V	Black	4	45
☰ 11183541-004-02	-	H07V2-K 4 (RK 90°C) 450/750V	Blue	4	45
☰ 11183541-003-02	-	H07V2-K 4 (RK 90°C) 450/750V	Red	4	45
☰ 11183541-022-02	-	H07V2-K 4 (RK 90°C) 450/750V	Yellow / green	4	45
☎ 11183512-022-06	-	H07V2-K 4 (RK 90°C) 450/750V	Yellow / green	4	45
☎ 11183512-001-06	-	H07V2-K 4 (RK 90°C) 450/750V	Black	4	45
☰ 11183541-152-02	-	H07V2-K 4 (RK 90°C) 450/750V	Light blue	4	45
☎ 11183312-122-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	Dark blue	1.5	20
☎ 11183312-152-36	-	H07V2-K 1,5 (RK 90°C) 450/750V	Light blue	1.5	20
☎ 11183412-152-35	-	H07V2-K 2,5 (RK 90°C) 450/750V	Light blue	2.5	32
☎ 11183512-004-06	-	H07V2-K 4 (RK 90°C) 450/750V	Blue	4	45
☎ 11183512-070-06	-	H07V2-K 4 (RK 90°C) 450/750V	Grey	4	45
☎ 11183512-152-06	-	H07V2-K 4 (RK 90°C) 450/750V	Light blue	4	45
☎ 11183612-004-31	-	H07V2-K 6 (RK 90°C) 450/750V	Blue	6	65
☎ 11183612-070-31	-	H07V2-K 6 (RK 90°C) 450/750V	Grey	6	65
☎ 11183712-004-28	-	H07V2-K 10 (RK 90°C) 450/750V	Blue	10	110
☎ 11183712-008-28	-	H07V2-K 10 (RK 90°C) 450/750V	Brown	10	110

☎ = Make to order, ☰ = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 12/21/22 www.nexans.be Page 6 / 10



# H07V2-K (VOBs 90°C) Eca 450/750V

## Contact

Sales  
Phone: 02 363 27 17  
sales.equipment-cables@nexans.com

Nexans Ref.	Country Ref.	Name	Colour	Conductor cross-section [mm <sup>2</sup> ]	Approximate weight [kg/km]
☎ 11183712-022-28 -		H07V2-K 10 (RK 90°C) 450/750V	Yellow / green	10	110
📦 11183931-022-01 -		H07V2-K 25 (RK 90°C) 450/750V	Yellow / green	25	260
☎ 11183412-010-35 -		H07V2-K 2,5 (RK 90°C) 450/750V	Orange	2.5	32
☎ 11183512-010-06 -		H07V2-K 4 (RK 90°C) 450/750V	Orange	4	45
📦 11183541-008-02 -		H07V2-K 4 (RK 90°C) 450/750V	Brown	4	45
📦 11183541-070-02 -		H07V2-K 4 (RK 90°C) 450/750V	Grey	4	45
📦 11183541-122-02 -		H07V2-K 4 (RK 90°C) 450/750V	Dark blue	4	45
📦 11184098-001-05 -		H07V2-K 35 (RK 90°C) 450/750V	Black	35	350
📦 11184098-022-05 -		H07V2-K 35 (RK 90°C) 450/750V	Yellow / green	35	350
📦 11183340-002-02 0384312		H07V2-K 1,5 (RK 90°C) 450/750V	White	1.5	20
☎ 11183741-002-02 0389213		H07V2-K 10 (RK 90°C) 450/750V	White	10	110
☎ 11183741-070-02 0389253		H07V2-K 10 (RK 90°C) 450/750V	Grey	10	110
📦 11183841-002-02 0389313		H07V2-K 16 (RK 90°C) 450/750V	White	16	170
☎ 11183841-070-02 0389333		H07V2-K 16 (RK 90°C) 450/750V	Grey	16	170
📦 11183840-001-02 0389302		H07V2-K 16 (RK 90°C) 450/750V	Black	16	170
📦 11183840-002-02 0389312		H07V2-K 16 (RK 90°C) 450/750V	White	16	170
📦 11183840-004-02 0389322		H07V2-K 16 (RK 90°C) 450/750V	Blue	16	170
📦 11183840-008-02 0389332		H07V2-K 16 (RK 90°C) 450/750V	Brown	16	170
📦 11183840-022-02 0389342		H07V2-K 16 (RK 90°C) 450/750V	Yellow / green	16	170
📦 11183840-070-02 0389352		H07V2-K 16 (RK 90°C) 450/750V	Grey	16	170
📦 11183898-001-00 0389300		H07V2-K 16 (RK 90°C) 450/750V	Black	16	170
📦 11183898-001-05 0389305		H07V2-K 16 (RK 90°C) 450/750V	Black	16	170
📦 11183898-022-00 0389340		H07V2-K 16 (RK 90°C) 450/750V	Yellow / green	16	170

☎ = Make to order, 📦 = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 12/21/22 www.nexans.be Page 7 / 10



# H07V2-K (VOBs 90°C) Eca 450/750V

Contact  
Sales  
Phone: 02 363 27 17  
sales.equipment-cables@nexans.com

Nexans Ref.	Country Ref.	Name	Colour	Conductor cross-section [mm <sup>2</sup> ]	Approximate weight [kg/km]
🏠 11183898-022-05	0389345	H07V2-K 16 (RK 90°C) 450/750V	Yellow / green	16	170
🏠 11183340-001-02	0384322	H07V2-K 1,5 (RK 90°C) 450/750V	Black	1.5	20
🏠 11183340-003-02	0384332	H07V2-K 1,5 (RK 90°C) 450/750V	Red	1.5	20
🏠 11183340-004-02	0384372	H07V2-K 1,5 (RK 90°C) 450/750V	Blue	1.5	20
🏠 11183340-008-02	0384382	H07V2-K 1,5 (RK 90°C) 450/750V	Brown	1.5	20
🏠 11183340-010-02	0384302	H07V2-K 1,5 (RK 90°C) 450/750V	Orange	1.5	20
🏠 11183340-011-02	0384742	H07V2-K 1,5 (RK 90°C) 450/750V	Violet	1.5	20
🏠 11183340-022-02	0384392	H07V2-K 1,5 (RK 90°C) 450/750V	Yellow / green	1.5	20
🏠 11183340-070-02	0384342	H07V2-K 1,5 (RK 90°C) 450/750V	Grey	1.5	20
🏠 11183340-122-02	0384362	H07V2-K 1,5 (RK 90°C) 450/750V	Dark blue	1.5	20
🏠 11183340-152-02	0384752	H07V2-K 1,5 (RK 90°C) 450/750V	Light blue	1.5	20
☎ 11183371-001-05	0384325	H07V2-K 1,5 (RK 90°C) 450/750V	Black	1.5	20
☎ 11183371-003-05	0384335	H07V2-K 1,5 (RK 90°C) 450/750V	Red	1.5	20
☎ 11183371-004-05	0384375	H07V2-K 1,5 (RK 90°C) 450/750V	Blue	1.5	20
☎ 11183371-008-05	0384385	H07V2-K 1,5 (RK 90°C) 450/750V	Brown	1.5	20
☎ 11183371-022-05	0384395	H07V2-K 1,5 (RK 90°C) 450/750V	Yellow / green	1.5	20
🏠 11183441-010-02	0384763	H07V2-K 2,5 (RK 90°C) 450/750V	Orange	2.5	32
🏠 11183441-152-02	0384783	H07V2-K 2,5 (RK 90°C) 450/750V	Light blue	2.5	32
🏠 11183440-001-02	0384422	H07V2-K 2,5 (RK 90°C) 450/750V	Black	2.5	32
🏠 11183440-002-02	0384412	H07V2-K 2,5 (RK 90°C) 450/750V	White	2.5	32
🏠 11183440-003-02	0384432	H07V2-K 2,5 (RK 90°C) 450/750V	Red	2.5	32
🏠 11183440-004-02	0384472	H07V2-K 2,5 (RK 90°C) 450/750V	Blue	2.5	32
🏠 11183440-008-02	0384482	H07V2-K 2,5 (RK 90°C) 450/750V	Brown	2.5	32

☎ = Make to order, 🏠 = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.

Generated 12/21/22 www.nexans.be Page 8 / 10




















# H07V2-K (VOBs 90°C) Eca 450/750V

## Contact

Sales  
Phone: 02 363 27 17  
sales.equipment-cables@nexans.com

Nexans Ref.	Country Ref.	Name	Colour	Conductor cross-section [mm <sup>2</sup> ]	Approximate weight [kg/km]
 11183440-010-02	0384762	H07V2-K 2,5 (RK 90°C) 450/750V	Orange	2.5	32
 11183440-011-02	0384772	H07V2-K 2,5 (RK 90°C) 450/750V	Violet	2.5	32
 11183440-022-02	0384492	H07V2-K 2,5 (RK 90°C) 450/750V	Yellow / green	2.5	32
 11183440-070-02	0384442	H07V2-K 2,5 (RK 90°C) 450/750V	Grey	2.5	32
 11183440-122-02	0384462	H07V2-K 2,5 (RK 90°C) 450/750V	Dark blue	2.5	32
 11183440-152-02	0384782	H07V2-K 2,5 (RK 90°C) 450/750V	Light blue	2.5	32
 11183540-001-02	0389002	H07V2-K 4 (RK 90°C) 450/750V	Black	4	45
 11183540-002-02	0389012	H07V2-K 4 (RK 90°C) 450/750V	White	4	45
 11183540-004-02	0389022	H07V2-K 4 (RK 90°C) 450/750V	Blue	4	45
 11183540-008-02	0389032	H07V2-K 4 (RK 90°C) 450/750V	Brown	4	45
 11183540-022-02	0389042	H07V2-K 4 (RK 90°C) 450/750V	Yellow / green	4	45
 11183540-070-02	0389052	H07V2-K 4 (RK 90°C) 450/750V	Grey	4	45
 11183641-122-02	0389163	H07V2-K 6 (RK 90°C) 450/750V	Dark blue	6	65
 11183640-001-02	0389102	H07V2-K 6 (RK 90°C) 450/750V	Black	6	65
 11183640-002-02	0389112	H07V2-K 6 (RK 90°C) 450/750V	White	6	65
 11183640-004-02	0389122	H07V2-K 6 (RK 90°C) 450/750V	Blue	6	65
 11183640-008-02	0389132	H07V2-K 6 (RK 90°C) 450/750V	Brown	6	65
 11183640-022-02	0389142	H07V2-K 6 (RK 90°C) 450/750V	Yellow / green	6	65
 11183640-070-02	0389152	H07V2-K 6 (RK 90°C) 450/750V	Grey	6	65
 11183740-001-02	0389202	H07V2-K 10 (RK 90°C) 450/750V	Black	10	110
 11183740-002-02	0389212	H07V2-K 10 (RK 90°C) 450/750V	White	10	110
 11183740-004-02	0389222	H07V2-K 10 (RK 90°C) 450/750V	Blue	10	110
 11183740-008-02	0389232	H07V2-K 10 (RK 90°C) 450/750V	Brown	10	110

 = Make to order,  = In stock,

All drawings, designs, specifications, plans and particulars of weights, size and dimensions contained in the technical or commercial documentation of Nexans is indicative only and shall not be binding on Nexans or be treated as constituting a representation on the part of Nexans.



Generated 12/21/22 www.nexans.be Page 9 / 10





# H07V2-K (VOBs 90°C) Eca 450/750V

## Contact

Sales  
Phone: 02 363 27 17  
sales.equipment-cables@nexans.com

Nexans Ref.	Country Ref.	Name	Colour	Conductor cross-section [mm <sup>2</sup> ]	Approximate weight [kg/km]
 11183740-022-02	0389242	H07V2-K 10 (RK 90°C) 450/750V	Yellow / green	10	110
 11183740-070-02	0389252	H07V2-K 10 (RK 90°C) 450/750V	Grey	10	110

 = Make to order,  = In stock,

## SELLING AND DELIVERY INFORMATION

H07V2-K is delivered in specified lengths. The package is marked with manufacturer, type of cable, length and manufacturing date. On the label on boxes upon request also the customer item number and/or order number.