

PRODUCT-DETAILS

S16/50M

GALV.STEEL S SUPERFLEX NC16 50MT



General Information

| | |
|-----------------------|--|
| Extended Product Type | S16/50M |
| Product ID | 7TCA296010R0040 |
| EAN | 5020963001277 |
| Catalog Description | GALV.STEEL S SUPERFLEX NC16 50MT |
| Long Description | Inherent Low Fire Hazard Steel Conduit, 3/8 Inch, Nominal Conduit Size 16mm, Outside Diameter 16.0mm, Inside Diameter 13.0mm, Static Bend Radius 35mm, Reel Length 50 Meters, Galvanised Steel General Purpose |

Additional Information

| | |
|--------------|--|
| Application | Indoors / Outdoors - Light Industrial, Buildings |
| Product Type | Low Fire Hazard Conduit |

Ordering

| | |
|-----------------------|---------------|
| EAN | 5020963001277 |
| UPC | 786210261430 |
| Customs Tariff Number | 8307106000 |

Dimensions

| | |
|----------------------------|------|
| Product Net Depth / Length | 50 m |
|----------------------------|------|

Technical

| | |
|---------------------|------------------|
| Number of Batteries | 0 |
| Material | Galvanized Steel |

Environmental

| | |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

Container Information

| | |
|--------------------------------|-----------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Height | 5 in 127 mm |
| Package Level 1 Depth / Length | 16 in 406 mm |
| Package Level 1 Width | 16 in 406 mm |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | S16/50M |
| Instructions and Manuals | S16/50M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| RoHS Information | 9AKK107992A8994 |
| RoHS Date | 9AKK107992A8994 |
| REACH Declaration | 9AKK107992A8994 |

Classifications

| | |
|--------|-------------------------------------|
| ETIM 8 | EC001179 - Protective metallic hose |
| UNSPSC | 39131706 |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

