


PRODUCT-DETAILS

2026 UCN/KL-94-507

2026 UCN/KL-94-507 CoverPlates (partly incl. Insert)



General Information

Extended Product Type	2026 UCN/KL-94-507
Product ID	2CKA001413A1086
EAN	4011395120736
Catalog Description	2026 UCN/KL-94-507 CoverPlates (partly incl. Insert)
Long Description	SP (operating current), With N terminal.

Technical

Rated Voltage (U_r)	230 V
Secondary Voltage	250 V
Rated Current (I_n)	10 A
Contacts Configuration	1 NO, 0 NC
Number of Poles	1
Product Range	basic55®
Actuator Type	Rocker
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Claw Mounting with Screw
Surface Finishing	Untreated Glossy
Material	Thermoplastic Plastic
Label Space Provided	Yes
Legend	Symbol "bell"

Model Number	Single push button
RAL Number	RAL 9010 - Pure White
Color	Alpine white
Battery Weight	0 g
Number of Batteries	0

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions

Product Net Width	71 mm
Product Net Height	32 mm
Product Net Depth / Length	71 mm
Product Net Weight	77 g
Built-In Depth (t ₂)	40 mm

Container Information

Package Level 1 Units	carton 10 piece
Package Level 1 Width	184 mm
Package Level 1 Height	116 mm
Package Level 1 Depth / Length	268 mm
Package Level 1 Gross Weight	0.92 kg
Package Level 1 EAN	4011395120736
Package Level 2 Units	100 piece
Package Level 2 Width	393 mm
Package Level 2 Height	286 mm
Package Level 2 Depth / Length	596 mm
Package Level 2 Gross Weight	9.098 kg
Package Level 3 Units	1200 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.008 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	147.656 kg

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E0295
Instructions and Manuals	No document needed

REACH Declaration	2CKA309999E9999
RoHS Information	9AKK104295D8727

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	No document needed

Classifications

ETIM 7	EC000029 - Push-switch button
ETIM 8	EC000029 - Push-switch button
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → CoverPlates (partly incl. Insert) → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

