


PRODUCT-DETAILS

2251 UCGL-94-507

2251 UCGL-94-507 CoverPlates (partly incl. Insert)



General Information

Extended Product Type	2251 UCGL-94-507
Product ID	2CKA006515A0842
EAN	4011395090879
Catalog Description	2251 UCGL-94-507 CoverPlates (partly incl. Insert)
Long Description	With rotary control, 2way On-Off switching and soft-catch. Leading Edge control.

Technical

Suitable For	2CKA006599A2929 2CKA006599A2928
Rated Voltage (U_r)	230 V
Rated Control Supply Voltage (U_s)	220...240 V
Auxiliary Voltage AC/DC	230 V AC/DC
Frequency (f)	50...50 Hz
Rated Frequency (f)	50 Hz
Power Watt	60...400 V·A
Product Range	carat®
Actuator Type	Turn/push button
Connection Type	Screw Clamp
Load Type	Inductive load
Mounting Type	Flush Mounted
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Material	Material quality: Thermoplastic (3) Material: Plastic (3)
RAL Number	RAL 9010 - Pure White
Color	Alpine white
Number of Batteries	0

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Dimensions

Product Net Width	71 mm
Product Net Height	71 mm
Product Net Depth / Length	32 mm
Product Net Weight	127 g

Container Information

Package Level 1 Units	carton 1 piece
Package Level 1 Width	88 mm
Package Level 1 Height	75 mm
Package Level 1 Depth / Length	96 mm
Package Level 1 Gross Weight	0.159 kg
Package Level 1 EAN	4011395090879
Package Level 2 Units	10 piece
Package Level 2 Width	193 mm
Package Level 2 Height	116 mm
Package Level 2 Depth / Length	393 mm
Package Level 2 Gross Weight	1.802 kg
Package Level 3 Units	960 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.078 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	192.992 kg

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E1648
Instructions and Manuals	DEBJE-0173-1-6682
REACH Declaration	2CKA309999E9999

RoHS Information

9AKK104295D8727

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	DEBJE-0173-1-6682

Classifications

ETIM 7	EC000025 - Dimmer
ETIM 8	EC000025 - Dimmer
EPLAN Catalog Tree	Electrical engineering / Sensor, switch, and pushbutton / Switch , pushbutton
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27144014

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → CoverPlates (partly incl. Insert) → Rotary Dimmer

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Rotary Dimmer - Flush Mounted → Rotary Dimmer

