

PRODUCT-DETAILS

106/3/1 UC-92-507

106/3/1 UC-92-507 CoverPlates (partly incl. Insert)



General Information

Extended Product Type	106/3/1 UC-92-507
Product ID	2CKA001012A2158
EAN	4011395122310
Catalog Description	106/3/1 UC-92-507 CoverPlates (partly incl. Insert)
Long Description	106/3/1 UC-92-507 3G 1W switch

Technical

Rated Voltage (U_r)	250 V
Auxiliary Voltage AC/DC	250 V AC/DC
Rated Current (I_n)	16 A
Maximum Switching Current	Fluorescent Lamps 10 A
Number of Rocker Switches	1
Product Range	basic55®
Wiring Configuration	Off switch 3x1-pole
Actuator Type	Rocker/button
Connection Type	Plug Clamp
Lamp Type	Not included
Mounting Type	Flush Mounted
Surface Finishing	Untreated Matt
Material	Plastic (2) Thermoplastic

Label Space Provided	No
Illumination	Non-illuminated
Color	White
Battery Weight	0 g
Number of Batteries	0

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Dimensions

Product Net Width	71 mm
Product Net Height	32 mm
Product Net Depth / Length	71 mm
Product Net Weight	80 g
Built-In Depth (t ₂)	32 mm

Container Information

Package Level 1 Units	carton 10 piece
Package Level 1 Width	184 mm
Package Level 1 Height	116 mm
Package Level 1 Depth / Length	268 mm
Package Level 1 Gross Weight	0.95 kg
Package Level 1 EAN	4011395122310
Package Level 2 Units	100 piece
Package Level 2 Width	393 mm
Package Level 2 Height	286 mm
Package Level 2 Depth / Length	596 mm
Package Level 2 Gross Weight	10.185 kg
Package Level 3 Units	1200 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.008 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	223.7 kg

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
Country of Origin	Czech Republic (CZ)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E0058
Instructions and Manuals	No document needed

REACH Declaration	2CKA309999E9999
RoHS Information	9AKK104295D8727

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	No document needed

Classifications

ETIM 7	EC001590 - Switch
ETIM 8	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → CoverPlates (partly incl. Insert) → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

