

PRODUCT-DETAILS

20 EUK-95-507

20 EUK-95-507 CoverPlates (partly incl. Insert)



General Information	
Extended Product Type	20 EUK-95-507
Product ID	2CKA002018A1499
EAN	4011395161142
Catalog Description	20 EUK-95-507 CoverPlates (partly incl. Insert)
Long Description	With screwless terminals. DP (2 P + E) Hinged lid notches when opened.

Technical	
Rated Voltage (U _r)	250 V
Auxiliary Voltage AC/DC	250 V AC/DC
Rated Current (In)	16 A
Frequency (f)	5050 Hz
Number of Phases	1
Number of Gangs	1
Product Range	carat®
Connection Type	Plug Clamp
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Claw Mounting with Screw
Surface Finishing	Untreated Glossy
Material	Plastic (2) Thermoplastic
Legend	Without imprint

Model Number	Protective contact (SCHUKO)
Color	château-black
Battery Weight	0 g
Number of Batteries	0

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

DimensionsProduct Net Width12 mmProduct Net Height32 mmProduct Net Depth /
Length71 mmProduct Net Weight74 g

Built-In Depth (t₂) 40 mm

Container Information

Package Level 1 Units	carton 10 piece
Package Level 1 Width	158 mm
Package Level 1 Height	76 mm
Package Level 1 Depth / Length	249 mm
Package Level 1 Gross Weight	0.83 kg
Package Level 1 EAN	4011395161142

Ordering Minimum Order Quantity 1 piece Customs Tariff Number 85366990

Customs Tariff Number	85366990
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E3120
Instructions and Manuals	No document needed
REACH Declaration	2CKA309999E9999
RoHS Information	9AKK104295D8727

Popular Downloads

Data Sheet, Technical	No document needed
Information	
Instructions and	No document needed
Manuals	

Classifications

ETIM 7	EC000125 - Socket outlet

20 EUK-95-507 3

TTIM 8 EC000125 - Soc	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 69 90
eClass	V11.0 : 27144042

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Basic\ 55 \rightarrow Design\ Basic55 \rightarrow CoverPlates\ (partly\ incl.\ Insert) \rightarrow Single\ Socket\ Outlets$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Socket\ Outlets \rightarrow Single\ Socket\ Outlets \rightarrow Flush\ Mounted \rightarrow Single\ Socket\ Outlets$

