

PRODUCT-DETAILS

2117 U-500

2117 U-500 Flush Mounted Inserts Flush-mounted installation boxes and inserts



General Information

Extended Product Type	2117 U-500
Product ID	2CKA006599A2987
EAN	4011395152218
Catalog Description	2117 U-500 Flush Mounted Inserts Flush-mounted installation boxes and inserts
Long Description	For DALI broadcast service (via central telegram). For switching and dimming up to 64 DALI- devices like electronic ballasts and transformers with DALI-interface. With rotary control and ON/OFF push operation. Fool proof. Brightness power-on level and background brightness level adjustable, buffered. With integrated LED illumination for orientation. Color of orientation light adjustable (18 presets and OFF). Up to 5 potentiometers are connectable in parallel. Max. current consumption: 15 mA. Not suitable for combining with other DALI sensors or central units of other manufacturers. An additional DALI power supply is needed, e.g. by Tridonic, Philips, Helvar or 2117/11 U. Max. DALI-cable length: 300 m (1,5 - 2,5 mm ²). Without cover plate.

Technical

Suitable For	2CKA006599A0237 2CKA006599A1540 2CKA006599A1334 2CKA006599A2803 2CKA006599A2275 2CKA006599A2373 2CKA006599A2324 2CKA006599A1490 2CKA006599A1458 2CKA006599A2861 2CKA006599A2855 2CKA006599A2696 2CKA006599A2858
--------------	---

2CKA006599A2159
 2CKA006599A2084
 2CKA006599A2688
 2CKA006599A2670
 2CKA006599A2852
 2CKA006599A2980
 2CKA006599A2950
 2CKA006599A2981
 2CKA006599A2951
 2CKA006599A2952
 2CKA006599A2953
 2CKA006599A2954
 2CKA006599A2955
 2CKA006599A2959
 2CKA006599A2956
 2CKA006599A2957
 2CKA006599A2961
 2CKA006599A2966
 2CKA006599A2958
 2CKA006599A3017

Product Range	Flush-mounted installation boxes and inserts
Actuator Type	Turn/push button
Mounting Type	Flush Mounted
Battery Weight	0 g
Number of Batteries	0

Environmental

Ambient Air Temperature	Operation 0 ... +35 °C
Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions

Product Net Width	70 mm
Product Net Height	28.5 mm
Product Net Depth / Length	70 mm
Product Net Weight	108 g

Container Information

Package Level 1 Units	carton 1 piece
Package Level 1 Width	92 mm
Package Level 1 Height	58 mm
Package Level 1 Depth / Length	78 mm
Package Level 1 Gross Weight	0.108 kg
Package Level 1 EAN	4011395152218

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85334090
E-Number (Finland)	2619370
E-Number (Sweden)	1360199
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	2CKA100000E1717
Instructions and Manuals	DEBJE-2117_BA_ABB_DinA4-Online_chn
REACH Declaration	2CKA309999E9999
RoHS Information	9AKK104295D8727

Popular Downloads	
Data Sheet, Technical Information	No document needed
Instructions and Manuals	DEBJE-2117_BA_ABB_DinA4-Online_chn

Classifications	
ETIM 7	EC000534 - Automatic controller for light controlling system
ETIM 8	EC000534 - Automatic controller for light controlling system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8533 40 90

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - ABB Nordics → Design Calle → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-art linear → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Rotary Dimmer - Flush Mounted → Rotary Dimmer Inserts

