

PRODUCT-DETAILS

6523 UR-103-500

6523 UR-103-500 Flush Mounted Inserts Busch-Dimmer®



General Info	rmation
--------------	---------

Extended Product Type	6523 UR-103-500
Product ID	2CKA006512A0345
EAN	4011395232101

Catalog Description

6523 UR-103-500 Flush Mounted Inserts Busch-Dimmer®

Long Description

Very small installation depth: < 20 mm Without claws. With rotary control, two-way switch and soft-catch. 2-wire connection (neutral conductor not required) Optimised for dimming of retrofit LED lamps (LEDi). For dimmable Retrofit-LEDs (LEDi). For dimmable Retrofit-LEDs (LEDi) with conventional or electronic transformers. For incandescent lamps, 230 V tungsten halogen lamps, low-voltage halogen lamps with conventional or electronic transformers and dimmable energy-saving halogen lamps. Mix operaton of LEDi with conventional loads possible. With manually adjustable operating mode: trailing / leading edge control. With adjustable minimum/maximum brightness. Low-noise level by MOSFET transistors. With electronic short-circuit protection. With electronic overload protection. Without cover plate. Rated voltage: 230 V~, + 10% / - 10% Rated frequency: 50 Hz/60 Hz Nominal power: 2 - 100 W/VA (leading edge control) Nominal power: 2 - 400 W/VA (trailing edge control)

Technical

Suitable For

2CKA006599A0237 2CKA006599A1540 2CKA006599A1344 2CKA006599A2803 2CKA006599A2275 2CKA006599A2275 2CKA006599A2373 2CKA006599A2324 2CKA006599A1490 2CKA006599A1458 6523 UR-103-500 2

	25/4.005500.40054
	2CKA006599A2861
	2CKA006599A2855 2CKA006599A2858
	2CKA006599A2858 2CKA006599A2852
	2CKA006599A2980
	2CKA006599A2950
	2CKA006599A2981
	2CKA006599A2951
	2CKA006599A2952
	2CKA006599A2953
	2CKA006599A2954
	2CKA006599A2955
	2CKA006599A2959 2CKA006599A2956
	2CKA006599A2956 2CKA006599A2957
	2CKA006599A2961
	2CKA006599A2966
	2CKA006599A2958
	2CKA006599A3017
Rated Voltage (U _r)	207253 V
Rated Control Supply Voltage (U_s)	220240 V
Frequency (f)	5060 Hz
Power Watt	2400 V·A
Product Range	Busch-Dimmer®
Actuator Type	Turn/push button
Connection Type	Screw Clamp
Load Type	Universal and LED Retrofit
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Screw
Surface Finishing	Surface protection: Untreated Surface finishing: Matt
Material	Material quality: Thermoplastic (3) Material: Plastic (3)
Number of Batteries	0

Environmental

Ambient Air	Operation 0 +35 °C
Temperature	
Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions	
Product Net Width	71 mm
Product Net Height	20 mm
Product Net Depth / Length	71 mm
Product Net Weight	53 g

Container Information

Package Level 1 Units	carton 1 piece
Package Level 1 Width	92 mm
Package Level 1 Height	58 mm
Package Level 1 Depth / Length	78 mm
Package Level 1 Gross Weight	0.098 kg
Package Level 1 EAN	4011395232101
Package Level 2 Units	10 piece

Germany (DE)

Package Level 2 Width	168 mm
Package Level 2 Height	112 mm
Package Level 2 Depth / Length	298 mm
Package Level 2 Gross Weight	1.105 kg
Package Level 3 Units	1620 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.158 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	199.01 kg

Ordering Minimum Order Quantity 1 piece **Customs Tariff Number** 85365080 2619377 E-Number (Finland) E-Number (Sweden) 1360364 Country of Origin

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	2CKA100000E0646
Instructions and Manuals	No document needed
REACH Declaration	2CKA309999E9999
RoHS Information	9AKK104295D8727

Popular Downloads	
Data Sheet, Technical Information	No document needed
Instructions and Manuals	No document needed

Classifications	
ETIM 7	EC000025 - Dimmer
ETIM 8	EC000025 - Dimmer
EPLAN Catalog Tree	Electrical engineering $/$ Sensor, switch, and pushbutton $/$ Switch, pushbutton
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27144014

Categories

6523 UR-103-500 4

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ ABB\ Nordics \rightarrow Design\ Calle \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Switch\ Assortments\ \rightarrow\ Flush\ Mounted\ VDE\ Range\ -\ Basic\ 55\ \rightarrow\ Design\ Basic\ 55\ \rightarrow\ Flush\ Mounted\ Inserts\ \rightarrow\ Rotary\ Dimmer\ Inserts$

Low Voltage Products and Systems \rightarrow Switch Assortments \rightarrow Flush Mounted VDE Range - Busch-Jaeger \rightarrow Design Allwetter 44 (IP 44) \rightarrow Flush Mounted Inserts \rightarrow Rotary Dimmer Inserts

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Alpha \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-art\ linear \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Balance\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \to\ Design\ Busch-Dynasty\ \to\ Flush\ Mounted\ Inserts\ \to\ Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \to\ Design\ Carat\ \to\ Flush\ Mounted\ Inserts\ \to\ Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Future \rightarrow\ Flush\ Mounted\ Inserts \rightarrow\ Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Impuls \rightarrow\ Flush\ Mounted\ Inserts \rightarrow\ Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Light\ /\ LoadControl\ \to\ Electronic\ Rotary\ /\ Push\ Button\ Dimmer\ (all\ Loads\ incl.\ LED,\ DALI)\ \to\ Rotary\ Dimmer\ -\ Flush\ Mounted\ \to\ Rotary\ Dimmer\ Inserts$

