

PRODUCT-DETAILS

## 2117/11 U-500

## 2117/11 U-500 Flush Mounted Inserts Flushmounted installation boxes and inserts



General Information	
Extended Product Type	2117/11 U-500
Product ID	2CKA006599A2988
EAN	4011395152225
Catalog Description	2117/11 U-500 Flush Mounted Inserts Flush-mounted installation boxes and inserts
Long Description	For DALI broadcast service (via central telegram). With integrated DALI power adaptor. For switching and dimming up to 64 DALI- devices like electronic ballasts and transformers with DALI-interface. With rotary control and ON/OFF push operation. With electronic short-circuit protection. With electronic overload protection. Brightness power-on level and backround brightness level adjustable, buffered. With integrated LED illumination for orientation. Color of orientation light adjustable (18 presets and OFF). Up to 5 potentiometers are connectable in parallel. Up to 3 potentiometers are connectable in parallel in active mode. Not suitable for combining with other DALI sensors or central units of other manufacturers. DALI-voltage: 15,5 V= Rated current: max. 75 mA Power consumption: < 2,5 W Number of DALI-units: 37 in case of one active power-potentiometer in case of three active power-potentiometer in parallel connection: 111 Active mode: the potentiometer is supporting the necessary control circuit for other DALI-devices. Passive mode: the potentiometer is suitable as additional operation point. Max. DALI-cable length: 300 m (1,5 - 2,5 mm²). Without cover plate.

## **Technical**

Suitable For

2CKA006599A0237 2CKA006599A1540 2CKA006599A1334 2CKA006599A2803 2CKA006599A2275 2CKA006599A2373 2CKA006599A2324 2117/11 U-500 2

2CKA006599A1490
2CKA006599A1458
2CKA006599A2861
2CKA006599A2855
2CKA006599A2696
2CKA006599A2858
2CKA006599A2159
2CKA006599A2084
2CKA006599A2688
2CKA006599A2670
2CKA006599A2852
2CKA006599A2980
2CKA006599A2950
2CKA006599A2981
2CKA006599A2951
2CKA006599A2952
2CKA006599A2953
2CKA006599A2954
2CKA006599A2955
2CKA006599A2959
2CKA006599A2956
2CKA006599A2957 2CKA006599A2961
2CKA006599A2961 2CKA006599A2966
2CKA006599A2966 2CKA006599A2958
2CKA006599A2936 2CKA006599A3017
230 V
230 V AC/DC
0.08 A
5060 Hz
5060 Hz
Flush-mounted installation boxes and inserts
Turn/push button
Flush Mounted
0 g
0

4011395152225

Package Level 1 EAN

Rated Voltage (Ur)
Auxiliary Voltage AC/DC
Rated Current (In)
Frequency (f)
Rated Frequency (f)
Product Range

Actuator Type
Mounting Type
Battery Weight
Number of Batteries

Ambient Air	Operation 0 +35 °C
Temperature	
Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions	
Product Net Width	70 mm
Product Net Height	28.5 mm
Product Net Depth / Length	70 mm
Product Net Weight	96 g

Container Information	
Package Level 1 Units	carton 1 piece
Package Level 1 Width	92 mm
Package Level 1 Height	58 mm
Package Level 1 Depth / Length	78 mm
Package Level 1 Gross Weight	0.096 kg

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85334090
E-Number (Finland)	2619369
E-Number (Sweden)	1360205
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	2CKA100000E1718
Instructions and Manuals	DEBJE-2117_BA_ABB_DinA4-Online_chn
REACH Declaration	2CKA309999E9999
RoHS Information	9AKK104295D8727

Popular Downloads	
Data Sheet, Technical Information	No document needed
Instructions and Manuals	DEBJE-2117_BA_ABB_DinA4-Online_chn

Classifications	
ETIM 7	EC000534 - Automatic controller for light controlling system
ETIM 8	EC000534 - Automatic controller for light controlling system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8533 40 90

## Categories

2117/11 U-500 4

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ ABB\ Nordics \rightarrow Design\ Calle \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Basic\ 55\ \to\ Design\ Basic\ 55\ \to\ Flush\ Mounted\ Inserts\ \to\ Rotary\ Dimmer\ Inserts$ 

Low Voltage Products and Systems  $\rightarrow$  Switch Assortments  $\rightarrow$  Flush Mounted VDE Range - Busch-Jaeger  $\rightarrow$  Design Allwetter 44 (IP 44)  $\rightarrow$  Flush Mounted Inserts  $\rightarrow$  Rotary Dimmer Inserts

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Alpha \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-art\ linear \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Balance\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \to\ Design\ Busch-Dynasty\ \to\ Flush\ Mounted\ Inserts\ \to\ Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \to\ Design\ Carat\ \to\ Flush\ Mounted\ Inserts\ \to\ Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Future \rightarrow\ Flush\ Mounted\ Inserts \rightarrow\ Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Impuls \rightarrow\ Flush\ Mounted\ Inserts \rightarrow\ Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow Flush\ Mounted\ Inserts \rightarrow Rotary\ Dimmer\ Inserts$ 

Low Voltage Products and Systems  $\rightarrow$  Switch Assortments  $\rightarrow$  Light / LoadControl  $\rightarrow$  Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI)  $\rightarrow$  Rotary Dimmer - Flush Mounted  $\rightarrow$  Rotary Dimmer Inserts

